

Appendix A. Airport Record Cards

Appendix A presents report cards for each airport in the IASP. Report cards are presented by Illinois airport classification and then in alphabetical order by the airport's associated city. The report cards are directly associated with the Facility and Service Objectives (FSOs) introduced in **Chapter 2. Airport Classifications**. The following airport report cards individually document how each system airport performed related to FSOs associated with their airport classification.

Additional FSO context is provided below:

- If the existing condition is greater than or equal to the airport classification objective, then the airport has met the 2020 objective, denoted by a green "Yes" in the 'Meets Objective?' column.
- In some instances, Illinois Basic and Illinois Unclassified airports have an objective of "maintain existing". This means that the current condition of the facility/service being evaluated has met the objective.
- In some instances, airport performance is noted as "N/A" for not applicable. "N/A" is appropriate when a certain facility or service is not identified as an objective for the associated airport classification.
- In some instances, airports did not provide enough data to determine performance related to the
 objective for their classification. In this case, airport performance is documented as "NP" for not
 provided.
- The objective for Approach Lighting Systems (ALS) applies to the Commercial Service, Illinois National, and Illinois Regional state classifications. ALSs are a configuration of signal lights starting at the landing threshold and extending into the approach area to transition from instrument flight to visual flight for landing. Airports with an ALS objective meet this objective if they had at least one of the following ALS systems on one primary runway end:
 - High Intensity Approach Lighting Systems (ALSF-2)
 - Lead-In System (LDIN)
 - Medium Intensity Approach Lighting System with Runway Alignment Indicator (MALSR)
 - Omni-directional Approach Lights (ODALs)
 - Runway Lead-in Light System (RLLS)
- The objective for Vertical Glide Slope Indicators (VGSIs) applies to all IASP classifications except Illinois Unclassified. Airports met the VGSI objective if they have one of the following VGSI equipment on at least one primary runway end:
 - Precision Approach Path Indicators (PAPIs)
 - Visual Approach Slope Indicators (VASIs)
- The objective for Runway End Indicator Lights (REILs) applies to all IASP classifications except Illinois Unclassified. Airports met the REILs objective if they had REILs on at least one primary runway end. The presence of a MALSR or other ALS that functions as a runway end indicator light was also considered for this objective.
- The terminal building objective at GA airports is based on an acceptable ratio of terminal square footage to itinerant operations. This was determined to be a ratio of 150 sq. ft. per passenger as defined by Airport Cooperative Research Program (ACRP) Report 25. Therefore, if a GA airport's terminal building square footage is greater than or equal to the acceptable ratio, the airport met the objective. ALPs were used to estimate GA terminal building square footage and Google Earth was a supplementary source, as needed.





The hangar objective for Commercial Service, Illinois National, Illinois Regional, Illinois Local, and Illinois Basic evaluated covered storage for based and transient aircraft. Airports receive a performance rating for their based and transient aircraft covered storage. If airports within these classifications have enough based aircraft hangar space to accommodate a certain percentage of based aircraft, they met the based aircraft portion of this objective. If airports within these classifications reported enough hangar space to accommodate a certain percentage of transient aircraft, they met the transient aircraft portion of the objective.

It is important to note that FSOs are not requirements for airports, but instead are minimum recommendations of facilities and services airports should strive to achieve. **Table A.1** presents the 2020 IASP FSOs for each airport classification.



Table A.1. 2020 IASP Facility and Service Objectives

| Objective Category | Commercial Service | Illinois National | Illinois Regional | Illinois Local | Illinois Basic | Illinois Unclassified | |
|---|--|--|--|---|---|---|--|
| | Airfield | | | | | | |
| ARC | C-III | C-II | A/B-II | A/B-II Small Aircraft | A-I/B-I | A/B-I Small Aircraft | |
| Primary Runway Length | 7,000 ft. | 6,000 ft. | 5,000 ft. | 5,000 ft. | Maintain Existing | Maintain Existing | |
| Primary Runway Width | 150 ft. | 100 ft. | 75 ft. | 75 ft. | 60 ft. | 60 ft. | |
| Primary Runway Surface | Paved | Paved | Paved | Paved | Paved | Maintain Existing | |
| Skid Treatment (Groove/PFC) | Yes | Yes | Yes | Yes | Not an Objective | Not an Objective | |
| Taxiway | Full Parallel | Full Parallel | Full Parallel | Full Parallel | Partial Parallel | Maintain Existing | |
| Runway Markings | Precision | Precision | Precision | Non-Precision | Basic | Maintain Existing | |
| Approach | Precision | Precision | Precision | Non-Precision | Maintain Existing | Maintain Existing | |
| ALS | Yes | Yes | Yes | Not an Objective | Not an Objective | Not an Objective | |
| Rotating Beacon | Yes | Yes | Yes | Yes | Yes | Not an Objective | |
| VGSIs | Yes | Yes | Yes | Yes | Yes | Not an Objective | |
| REILs | Yes | Yes | Yes | Yes | Yes | Not an Objective | |
| Runway Lighting | Yes | Yes | Yes | Yes | Yes | Not an Objective | |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | Yes | Yes | Not an Objective | Not an Objective | |
| Taxiway Lighting | Yes | Yes | Yes | Yes | Yes | Not an Objective | |
| Covered Aircraft Storage | Hangars for 80% of based aircraft fleet and at least 25% available capacity for transient aircraft | Hangars for 60% of based aircraft fleet and at least 50% available capacity for transient aircraft | Hangars for 60% of based aircraft fleet and at least 50% available capacity for transient aircraft | Hangars for 60% of based aircraft fleet and at least 50% available capacity for transient aircraft | Hangars for 40% of based aircraft fleet and at least 25% available capacity for transient aircraft | Maintain Existing | |
| | | | Landside Facilities | | | | |
| Terminal (GA) | Per ALP | Acceptable ratio of GA terminal square footage to peak hour passengers | Acceptable ratio of GA terminal square footage to peak hour passengers | Acceptable ratio of GA terminal square footage to peak hour passengers | 500 sq. ft. | Maintain Existing | |
| Snow Removal Equipment (SRE) | Yes | Yes | Yes | Through mutual aid agreement | Through mutual aid agreement | Through mutual aid agreement | |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | Yes | Yes - if SRE available No - if SRE unavailable | Yes - if SRE available No - if SRE unavailable | Yes - if SRE available No - if SRE unavailable | |
| | | | Airport Service | | | | |
| 24-Hour Fuel (AvGas or Jet A) | Yes | Yes | Yes | Yes | Yes | Not an Objective | |
| Jet A Fuel | Yes | Yes | Yes | Yes | Not an Objective | Not an Objective | |
| Aircraft De-Icing | Yes | Yes | Not an Objective | Not an Objective | Not an Objective | Not an Objective | |
| Pilot Area/Flight Planning Area | Yes | Yes | Yes | Yes | Yes | Not an Objective | |



Table A.2. Order of Airport Report Cards Presented

| Associated City | Airport Name | |
|-----------------------------------|---|-----|
| | Commercial Service | |
| Belleville | MidAmerica St. Louis | BLV |
| Bloomington/Normal | Central Illinois Regional Airport at Bloomington-Normal | ВМІ |
| Champaign/Urbana | University of Illinois-Willard | CMI |
| Chicago | Chicago Midway International | MDW |
| Chicago | Chicago O'Hare International | ORD |
| Chicago/Rockford | Chicago/Rockford International | RFD |
| Decatur | Decatur | DEC |
| Marion | Veterans Airport of Southern Illinois | MWA |
| Moline | Quad City International | MLI |
| Peoria | General Downing-Peoria International | PIA |
| Quincy | Quincy Regional-Baldwin Field | UIN |
| Springfield | Abraham Lincoln Capital | SPI |
| | Illinois National | |
| Chicago/Aurora | Aurora Municipal | ARR |
| Chicago/Prospect Heights/Wheeling | Chicago Executive | PWK |
| Chicago/Waukegan | Waukegan National | UGN |
| Chicago/West Chicago | Dupage | DPA |
| | Illinois Regional | |
| Alton/St Louis | St Louis Regional | ALN |
| Cahokia/St Louis | St Louis Downtown | CPS |
| Carbondale/Murphysboro | Southern Illinois | MDH |
| Chicago/Lake In The Hills | Lake In The Hills | 3CK |
| Chicago/Romeoville | Lewis University | LOT |
| Danville | Vermilion Regional | DNV |
| DeKalb | DeKalb Taylor Municipal | DKB |
| Effingham | Effingham County Memorial | 1H2 |
| Galesburg | Galesburg Municipal | GBG |
| Jacksonville | Jacksonville Municipal | IJX |
| Kankakee | Greater Kankakee | IKK |
| Macomb | Macomb Municipal | MQB |
| Mattoon/Charleston | Coles County Memorial | MTO |
| Monee | Bult Field | C56 |
| Morris | Morris Municipal-James R Washburn Field | C09 |
| Mount Vernon | Mount Vernon | MVN |
| Peru | Illinois Valley Regional-Walter A Duncan Field | VYS |
| Sterling/Rockfalls | Whiteside County-Jos H Bittorf Field SQ | |
| | Illinois Local | |
| Bolingbrook | Bolingbrook's Clow International | 1C5 |
| Canton | Ingersoll | CTK |



| Associated City | Airport Name | FAA ID |
|--------------------|--|--------|
| Carmi | Carmi Municipal | CUL |
| Casey | Casey Municipal | 1H8 |
| Centralia | Centralia Municipal | ENL |
| Chicago | Lansing Municipal | IGQ |
| Chicago/Schaumburg | Schaumburg Regional | 06C |
| Dixon | Dixon Municipal-Charles R Walgreen Field | C73 |
| Freeport | Albertus | FEP |
| Greenville | Greenville | GRE |
| Harrisburg | Harrisburg-Raleigh | HSB |
| Joliet | Joliet Regional | JOT |
| Kewanee | Kewanee Municipal | EZI |
| Lacon | Marshall County | C75 |
| Lawrenceville | Lawrenceville-Vincennes International | LWV |
| Litchfield | Litchfield Municipal | 3LF |
| Mount Carmel | Mount Carmel Municipal | AJG |
| Olney-Noble | Olney-Noble | OLY |
| Pekin | Pekin Municipal | C15 |
| Peoria | Mount Hawley Auxiliary | 3MY |
| Pinckneyville | Pinckneyville-Du Quoin Airport | PJY |
| Pontiac | Pontiac Municipal | PNT |
| Robinson | Crawford County | RSV |
| Rochelle | Rochelle Municipal Airport-Koritz Field | RPJ |
| Shelbyville | Shelby County | 2H0 |
| Sparta | Sparta Community-Hunter Field | SAR |
| | Illinois Basic | |
| Beardstown | Greater Beardstown | K06 |
| Benton | Benton Municipal | H96 |
| Cairo | Cairo Regional | CIR |
| Fairfield | Fairfield Municipal | FWC |
| Flora | Flora Municipal | FOA |
| Havana | Havana Regional | 910 |
| Lincoln | Logan County | AAA |
| Metropolis | Metropolis Municipal | M30 |
| Monmouth | Monmouth Municipal | C66 |
| Mount Sterling | Mount Sterling Municipal | 163 |
| Paris | Edgar County | PRG |
| Pittsfield | Pittsfield Penstone Municipal | PPQ |
| Rantoul | Rantoul National Aviation Center-Frank Elliott Field | |
| Salem | Salem-Leckrone | |
| Savanna | Tri-Township | SFY |
| Taylorville | Taylorville Municipal | TAZ |





| Associated City | Airport Name | FAA ID |
|-----------------------|-----------------------|--------|
| Vandalia | Vandalia Municipal | VLA |
| | Illinois Unclassified | |
| Greenwood/Wonder Lake | Galt Field | 10C |
| Harvard | Dacy | 0C0 |
| Paxton | Paxton | 1C1 |
| Poplar Grove | Poplar Grove | C77 |
| Rushville | Schuy-Rush | 5K4 |
| Tuscola | Tuscola | K96 |

Source: Kimley-Horn, 2020



Figure A.1. MidAmerica St. Louis

| | Airport Information | |
|-------------------|----------------------|--|
| Airport Name | MidAmerica St. Louis | |
| Associated City | Belleville | |
| FAA ID | BLV | |
| IASP Airport Role | Commercial Service | |
| Primary Runway | 14L/32R | |

| Airfield | Commercial Service Objective | Existing Conditions | | Meets Objective? |
|---|--|---------------------------------------|--|---------------------|
| ARC | C-III | D-V | | Yes |
| Primary Runway Length | 7,000 ft | 10,000 ft | | Yes |
| Primary Runway Width | 150 ft | 150 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | : | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precis | ion | Yes |
| Approach | Precision | Precis | ion | Yes |
| ALS | Yes | Yes | • | Yes |
| Rotating Beacon | Yes | Yes | ; | Yes |
| VGSIs | Yes | Yes | : | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | No | | No |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 80% of based aircraft fleet and at least 25% available | 80 percent of based aircraft 1 fleet: | No. of based aircraft hangar 1 spaces: | Yes |
| | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Per ALP | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | Per ALP | Per ALP | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | No |
| Jet A Fuel | Yes | Yes | } | Yes |
| Aircraft De-Icing | Yes | Yes | | Yes |
| Pilot Area/Flight Planning Area | Yes | No | | No |



Figure A.2. Central Illinois Regional Airport at Bloomington-Normal

| | Airport Information |
|-------------------|---|
| Airport Name | Central Illinois Regional Airport at Bloomington-Normal |
| Associated City | Bloomington/Normal |
| FAA ID | BMI |
| IASP Airport Role | Commercial Service |
| Primary Runway | 02/20 |

| Airfield | Commercial Service Objective | Existing Conditions | | Meets Objective? |
|---|--|--|---|---------------------|
| ARC | C-III | C-IV | | Yes |
| Primary Runway Length | 7,000 ft | 8,000 ft | | Yes |
| Primary Runway Width | 150 ft | 150 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Para | allel | Yes |
| Runway Markings | Precision | Precisi | on | Yes |
| Approach | Precision | Precisi | on | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 80% of based aircraft fleet and at least 25% available | 80 percent of based aircraft 66 fleet: | No. of based aircraft hangar NP spaces: | NP |
| | capacity for transient aircraft | NP | | NP |
| Landside Facilities | Commercial Service Objective | Existing Co | nditions | Meets Objective? |
| Terminal (GA) | Per ALP | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | Per ALP | Per ALP | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Yes | Yes | | Yes |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.3. University of Illinois-Willard

| | Airport Information |
|-------------------|--------------------------------|
| Airport Name | University of Illinois-Willard |
| Associated City | Champaign/Urbana |
| FAA ID | CMI |
| IASP Airport Role | Commercial Service |
| Primary Runway | 14L/32R |

| Airfield | Commercial Service Objective | Existing Conditions | | Meets Objective? |
|---|--|--|---|---------------------|
| ARC | C-III | C-IV | 1 | Yes |
| Primary Runway Length | 7,000 ft | 8,102 ft | | Yes |
| Primary Runway Width | 150 ft | 150 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precis | ion | Yes |
| Approach | Precision | Precis | ion | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 80% of based aircraft fleet and at least 25% available | 80 percent of based aircraft 60 fleet: | No. of based aircraft hangar 53 spaces: | No |
| | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Per ALP | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | Per ALP | Per ALP | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Yes | Yes | | Yes |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.4. Chicago Midway International

| | Airport Information |
|-------------------|------------------------------|
| Airport Name | Chicago Midway International |
| Associated City | Chicago |
| FAA ID | MDW |
| IASP Airport Role | Commercial Service |
| Primary Runway | 13C/31C |

| Airfield | Commercial Service Objective | Existing Conditions | | Meets Objective? |
|---|--|--|--|---------------------|
| ARC | C-III | C-II | | Yes |
| Primary Runway Length | 7,000 ft | 6,522 ft | | No |
| Primary Runway Width | 150 ft | 150 | ft | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precis | ion | Yes |
| Approach | Precision | Precis | ion | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 80% of based aircraft fleet and at least 25% available capacity for transient aircraft | 80 percent of based aircraft 32 fleet: | No. of based aircraft hangar 0 spaces: | No |
| Landside Facilities | Commercial Service Objective | NP Existing Conditions | | Meets Objective? |
| Terminal (GA) | Per ALP | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | Per ALP | Per ALP | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Yes | Yes | | Yes |
| | | Yes | | |



Figure A.5. Chicago O'Hare International

| | Airport Information | |
|-------------------|------------------------------|--|
| Airport Name | Chicago O'Hare International | |
| Associated City | Chicago | |
| FAA ID | ORD | |
| IASP Airport Role | Commercial Service | |
| Primary Runway | 090/270 | |

| Airfield | Commercial Service Objective | Existing Conditions | | Meets Objective? |
|---|--|---------------------------------------|--|---------------------|
| ARC | C-III | D-V | Yes | |
| Primary Runway Length | 7,000 ft | 11,245 ft | | Yes |
| Primary Runway Width | 150 ft | 200 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precis | on | Yes |
| Approach | Precision | Precis | on | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 80% of based aircraft fleet and at least 25% available | 80 percent of based aircraft 0 fleet: | No. of based aircraft hangar 0 spaces: | Yes |
| | capacity for transient aircraft | NP | | NP |
| Landside Facilities | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Per ALP | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | Per ALP | Per ALP | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Yes | Yes | | Yes |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.6. Chicago/Rockford International

| | Airport Information | |
|-------------------|--------------------------------|--|
| Airport Name | Chicago/Rockford International | |
| Associated City | Chicago/Rockford | |
| FAA ID | RFD | |
| IASP Airport Role | Commercial Service | |
| Primary Runway | 07/25 | |

| Airfield | Commercial Service Objective | Existing Conditions | | Meets Objective? |
|---|--|--|---|---------------------|
| ARC | C-III | D-V | | Yes |
| Primary Runway Length | 7,000 ft | 10,002 ft | | Yes |
| Primary Runway Width | 150 ft | 150 f | t | Yes |
| Primary Runway Surface | Paved | Paveo | t l | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Para | allel | Yes |
| Runway Markings | Precision | Precision | on | Yes |
| Approach | Precision | Precision | on | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 80% of based aircraft fleet and at least 25% available | 80 percent of based aircraft 91 fleet: | No. of based aircraft hangar 90 spaces: | No |
| | capacity for transient aircraft | No transient hangar capacity | | No |
| Landside Facilities | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Per ALP | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | Per ALP | Per ALP | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Yes | Yes | | Yes |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.7. Decatur

| | Airport Informatio |
|-------------------|--------------------|
| Airport Name | Decatur |
| Associated City | Decatur |
| FAA ID | DEC |
| IASP Airport Role | Commercial Service |
| Primary Runway | 06/24 |

| Airfield | Commercial Service Objective | Existing Conditions | | Meets Objective? |
|---|--|--|--|---------------------|
| ARC | C-III | C-IV | | Yes |
| Primary Runway Length | 7,000 ft | 8,496 ft | | Yes |
| Primary Runway Width | 150 ft | 150 ft | | Yes |
| Primary Runway Surface | Paved | Pave | ed . | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | ; | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precis | ion | Yes |
| Approach | Precision | Precis | ion | Yes |
| ALS | Yes | Yes | 3 | Yes |
| Rotating Beacon | Yes | Yes | 5 | Yes |
| VGSIs | Yes | Yes | 5 | Yes |
| REILs | Yes | Yes | 5 | Yes |
| Runway Lighting | Yes | Yes | 3 | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 80% of based aircraft fleet and at least 25% available | 80 percent of based aircraft 44 fleet: | No. of based aircraft hangar 115 spaces: | Yes |
| | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Per ALP | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | Per ALP | Per ALP | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | 5 | Yes |
| Jet A Fuel | Yes | Yes | 3 | Yes |
| | | Yes | | Yes |
| Aircraft De-Icing | Yes | Yes No | | res |



Figure A.8. Veterans Airport of Southern Illinois

| | Airport Information | |
|-------------------|---------------------------------------|--|
| Airport Name | Veterans Airport of Southern Illinois | |
| Associated City | Marion | |
| FAA ID | MWA | |
| IASP Airport Role | Commercial Service | |
| Primary Runway | 02/20 | |

| Filliary Nuriway | 02/20 | | | |
|---|--|---|--|---------------------|
| Airfield | Commercial Service Objective | Existing Co | onditions | Meets Objective? |
| ARC | C-III | C-III | | Yes |
| Primary Runway Length | 7,000 ft | 8,012 | ! ft | Yes |
| Primary Runway Width | 150 ft | 150 | ft | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | } | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precis | ion | Yes |
| Approach | Precision | Precis | ion | Yes |
| ALS | Yes | Yes | ; | Yes |
| Rotating Beacon | Yes | Yes | } | Yes |
| VGSIs | Yes | Yes | 3 | Yes |
| REILs | Yes | Yes | 3 | Yes |
| Runway Lighting | Yes | Yes | 3 | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 80% of based aircraft fleet and at least 25% available capacity for transient aircraft | 80 percent of based aircraft 37 fleet: 50% available capacity | No. of based aircraft hangar 40 spaces: for transient aircraft | Yes |
| Landside Facilities | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Per ALP | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | Per ALP | Per ALP | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | 3 | Yes |
| Jet A Fuel | Yes | Yes | 3 | Yes |
| Aircraft De-Icing | Yes | Yes | } | Yes |
| Pilot Area/Flight Planning Area | Yes | Yes | 3 | Yes |
| , , , | | | | |



Figure A.9. Quad City International

| | Airport Information | |
|-------------------|-------------------------|--|
| Airport Name | Quad City International | |
| Associated City | Moline | |
| FAA ID | MLI | |
| IASP Airport Role | Commercial Service | |
| Primary Runway | 09/27 | |

| Airfield | Commercial Service Objective | Existing Conditions | | Meets Objective? |
|---|--|--|--|---------------------|
| ARC | C-III | D-' | Yes | |
| Primary Runway Length | 7,000 ft | 10,002 ft | | Yes |
| Primary Runway Width | 150 ft | 150 ft | | Yes |
| Primary Runway Surface | Paved | Pav | ed | Yes |
| Skid Treatment (Groove/PFC) | Yes | Ye | S | Yes |
| Taxiway | Full Parallel | Full Pa | rallel | Yes |
| Runway Markings | Precision | Precis | sion | Yes |
| Approach | Precision | Precis | sion | Yes |
| ALS | Yes | Ye | S | Yes |
| Rotating Beacon | Yes | Ye | S | Yes |
| VGSIs | Yes | Ye | S | Yes |
| REILs | Yes | Ye | S | Yes |
| Runway Lighting | Yes | Ye | S | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Ye | s | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 80% of based aircraft fleet and at least 25% available | 80 percent of based aircraft 68 fleet: | No. of based aircraft hangar 111 spaces: | Yes |
| | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Per ALP | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | Per ALP | Per ALP | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Ye | S | Yes |
| Jet A Fuel | Yes | Ye | S | Yes |
| Aircraft De-Icing | Yes | Ye | S | Yes |
| Pilot Area/Flight Planning Area | Yes | Ye | S | Yes |



Figure A.10. General Downing-Peoria International

| | Airport Information |
|-------------------|--------------------------------------|
| Airport Name | General Downing-Peoria International |
| Associated City | Peoria |
| FAA ID | PIA |
| IASP Airport Role | Commercial Service |
| Primary Runway | 13/31 |

| Airfield | Commercial Service Objective | Existing Conditions | | Meets Objective? |
|---|--|--|--|---------------------|
| ARC | C-III | D-IV | | Yes |
| Primary Runway Length | 7,000 ft | 10,104 ft | | Yes |
| Primary Runway Width | 150 ft | 150 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precisi | on | Yes |
| Approach | Precision | Precisi | on | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 80% of based aircraft fleet and at least 25% available | 80 percent of based aircraft 44 fleet: | No. of based aircraft hangar 0 spaces: | No |
| | capacity for transient aircraft Commercial Service | 0 transient hangars | | No Meets |
| Landside Facilities | Objective | Existing Co | nditions | Objective? |
| Terminal (GA) | Per ALP | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | Per ALP | Per ALP | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Yes | Yes | | Yes |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.11. Quincy Regional Baldwin Field

| | Airport Information |
|-------------------|-------------------------------|
| Airport Name | Quincy Regional-Baldwin Field |
| Associated City | Quincy |
| FAA ID | UIN |
| IASP Airport Role | Commercial Service |
| Primary Runway | 04/22 |

| Airfield | Commercial Service Objective | Existing Conditions | | Meets Objective? |
|---|--|--|---|---------------------|
| ARC | C-III | C-III | | Yes |
| Primary Runway Length | 7,000 ft | 7,098 ft | | Yes |
| Primary Runway Width | 150 ft | 150 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Para | allel | Yes |
| Runway Markings | Precision | Precisi | on | Yes |
| Approach | Precision | Precisi | on | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 80% of based aircraft fleet and at least 25% available capacity for transient aircraft | 80 percent of based aircraft 45 fleet: No transient har | No. of based aircraft hangar 39 spaces: | No No |
| Landside Facilities | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Per ALP | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | Per ALP | Per ALP | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Yes | Yes | | Yes |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.12. Abraham Lincoln Capital

| | Airport Information | |
|-------------------|-------------------------|--|
| Airport Name | Abraham Lincoln Capital | |
| Associated City | Springfield | |
| FAA ID | SPI | |
| IASP Airport Role | Commercial Service | |
| Primary Runway | 04/22 | |

| Primary Runway | 04/22 | | | |
|---|--|---|--|---------------------|
| Airfield | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| ARC | C-III | D-V | | Yes |
| Primary Runway Length | 7,000 ft | 8,001 | ft | Yes |
| Primary Runway Width | 150 ft | 150 | ft | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precis | ion | Yes |
| Approach | Precision | Precis | ion | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 80% of based aircraft fleet and at least 25% available | 80 percent of based aircraft 135 fleet: | No. of based aircraft hangar 167 spaces: | Yes |
| | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Per ALP | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | Per ALP | Per ALP | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Commercial Service Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| | | Yes | | |
| Jet A Fuel | Yes | Yes | | Yes |
| Jet A Fuel Aircraft De-Icing | Yes Yes | Yes Yes | | Yes |



Figure A.13. Aurora Municipal

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Aurora Municipal | |
| Associated City | Chicago/Aurora | |
| FAA ID | ARR | |
| IASP Airport Role | Illinois National | |
| Primary Runway | 09/27 | |

| i iiiilai y itaiiway | 03/2/ | | | |
|--|--|------------------------------------|--|---------------------------|
| Airfield | Illinois National Objective | Existing Conditions | | Meets Objective? |
| ARC | C-II | D-III | | Yes |
| Primary Runway Length | 6,000 ft | 6,501 | ft | Yes |
| Primary Runway Width | 100 ft | 100 1 | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precisi | on | Yes |
| Approach | Precision | Precisi | on | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 88 aircraft fleet: | No. of based aircraft hangar 212 spaces: | Yes |
| covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois National Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 8,000 sq ft | 5,000 sq ft | |
| Chau Danagal Faulianant | | Yes | | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes Yes | Yes No | | Yes |
| Dedicated Maintenance/SRE | | | | |
| Dedicated Maintenance/SRE Storage Building | Yes | No | nditions | No Meets |
| Dedicated Maintenance/SRE Storage Building Airport Services | Yes Illinois National Objective | No Existing Co | nditions | No Meets Objective? |
| Dedicated Maintenance/SRE Storage Building Airport Services 24-Hour Fuel (AvGas or JetA) | Yes Illinois National Objective Yes | No Existing Co Yes | nditions | No Meets Objective? Yes |



Figure A.14. Chicago Executive

| | Airre and Indiannessian |
|-------------------|-----------------------------------|
| | Airport Information |
| Airport Name | Chicago Executive |
| Associated City | Chicago/Prospect Heights/Wheeling |
| FAA ID | PWK |
| IASP Airport Role | Illinois National |
| Primary Runway | 16/34 |

| Airfield | Illinois National Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | C-II | D-III | | Yes |
| Primary Runway Length | 6,000 ft | 5,001 ft | | No |
| Primary Runway Width | 100 ft | 150 | ft | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precisi | ion | Yes |
| Approach | Precision | Precisi | ion | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 106 aircraft fleet: | No. of based aircraft hangar 87 spaces: | No |
| covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois National Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 11,046 sq ft | 9,135 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Illinois National Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Yes | Yes | | Yes |
| Pilot Area/Flight Planning Area | Yes | Yes | · | Yes |



Figure A.15. Waukegan National

| | Airport Information |
|-------------------|---------------------|
| Airport Name | Waukegan National |
| Associated City | Chicago/Waukegan |
| FAA ID | UGN |
| IASP Airport Role | Illinois National |
| Primary Runway | 05/23 |

| Airfield | Illinois National Objective | Existing Conditions | | Meets Objective? |
|---|--|---|---|---------------------|
| ARC | C-II | D-III | | Yes |
| Primary Runway Length | 6,000 ft | 6,001 ft | | Yes |
| Primary Runway Width | 100 ft | 150 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Para | allel | Yes |
| Runway Markings | Precision | Precisi | on | Yes |
| Approach | Precision | Precisi | on | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 96 aircraft fleet: | No. of based aircraft hangar 51 spaces: | No |
| covered Aircraft Storage | capacity for transient aircraft | 88% available capacity for transient aircraft | | Yes |
| Landside Facilities | Illinois National Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 5,417 sq ft | No GA Terminal Building | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Illinois National Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Yes | Yes | | Yes |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.16. Dupage

| | Airport Information | |
|-------------------|----------------------|--|
| Airport Name | Dupage | |
| Associated City | Chicago/West Chicago | |
| FAA ID | DPA | |
| IASP Airport Role | Illinois National | |
| Primary Runway | 2L/20R | |

| 1 milary itaniway | 21,201 | | |
|---|--|---|---------------------|
| Airfield | Illinois National Objective | Existing Conditions | Meets Objective? |
| ARC | C-II | D-III | Yes |
| Primary Runway Length | 6,000 ft | 7,574 ft | Yes |
| Primary Runway Width | 100 ft | 150 ft | Yes |
| Primary Runway Surface | Paved | Paved | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | Yes |
| Taxiway | Full Parallel | Full Parallel | Yes |
| Runway Markings | Precision | Precision | Yes |
| Approach | Precision | Precision | Yes |
| ALS | Yes | Yes | Yes |
| Rotating Beacon | Yes | Yes | Yes |
| VGSIs | Yes | Yes | Yes |
| REILs | Yes | Yes | Yes |
| Runway Lighting | Yes | Yes | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | Yes |
| Taxiway Lighting | Yes | Yes | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based aircraft fleet: No. of based aircraft hangar 1 spaces: | 48 No |
| covered Aircraft Storage | capacity for transient aircraft | 50% available capacity for transient aircraft | Yes |
| Landside Facilities | Illinois National Objective | Existing Conditions | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal GA terminal square footage footage | e No |
| | passengers | 16,609 sq ft 16,125 sq ft | |
| Snow Removal Equipment | Yes | Yes | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | Yes |
| Airport Services | Illinois National Objective | Existing Conditions | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | Yes |
| Jet A Fuel | Yes | Yes | Yes |
| Aircraft De-Icing | Yes | Yes | Yes |
| Pilot Area/Flight Planning Area | Yes | Yes | Yes |
| , | : 55 | | |



Figure A.17. St Louis Regional

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | St Louis Regional | |
| Associated City | Alton/St Louis | |
| FAA ID | ALN | |
| IASP Airport Role | Illinois Regional | |
| Primary Runway | 11/29 | |

| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
|---|--|---|--|---------------------|
| ARC | A/B-II | C-VI | Yes | |
| Primary Runway Length | 5,000 ft | 8,099 ft | | Yes |
| Primary Runway Width | 75 ft | 150 1 | ft | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precisi | ion | Yes |
| Approach | Precision | Precisi | ion | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 68 aircraft fleet: | No. of based aircraft hangar 132 spaces: | Yes |
| covered Ancian Storage | capacity for transient aircraft | 20% available capacity for transient aircraft | | No |
| Landside Facilities | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 4,307 sq ft | 9,792 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | No |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.18. St Louis Downtown

| Airport Information | | | |
|---------------------|-------------------|--|--|
| Airport Name | St Louis Downtown | | |
| Associated City | Cahokia/St Louis | | |
| FAA ID | CPS | | |
| IASP Airport Role | Illinois Regional | | |
| Primary Runway | 12R/30L | | |

| Fillial y Null way | 121/301 | | | |
|---|--|------------------------------------|--|---------------------|
| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II | C-III | | Yes |
| Primary Runway Length | 5,000 ft | 7,002 | ft | Yes |
| Primary Runway Width | 75 ft | 150 1 | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precisi | on | Yes |
| Approach | Precision | Precisi | on | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | No | | No |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 74 aircraft fleet: | No. of based aircraft hangar 175 spaces: | Yes |
| covered Alledalt Storage | capacity for transient aircraft | 0 airport owned transient hangars | | No |
| Landside Facilities | Illinois Regional Objective | Existing Co | nditions | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 12,012 sq ft | 6,502 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | Yes | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.19. Southern Illinois

| | Airport Information | |
|-------------------|------------------------|--|
| Airport Name | Southern Illinois | |
| Associated City | Carbondale/Murphysboro | |
| FAA ID | MDH | |
| IASP Airport Role | Illinois Regional | |
| Primary Runway | 18L/36R | |

| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | A/B-II | C-III | | Yes |
| Primary Runway Length | 5,000 ft | 6,506 ft | | Yes |
| Primary Runway Width | 75 ft | 100 f | ft | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Para | allel | Yes |
| Runway Markings | Precision | Precisi | on | Yes |
| Approach | Precision | Precisi | on | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 41 aircraft fleet: | No. of based aircraft hangar 60 spaces: | Yes |
| Covered Aircraft Storage | capacity for transient aircraft | No transient hangar capacity | | No |
| Landside Facilities | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 11,409 sq ft | 8,550 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | Yes | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |
| | | . 55 | | |



Figure A.20. Lake in the Hills

| | Airport Information | |
|-------------------|---------------------------|--|
| Airport Name | Lake In The Hills | |
| Associated City | Chicago/Lake In The Hills | |
| FAA ID | 3CK | |
| IASP Airport Role | Illinois Regional | |
| Primary Runway | 08/26 | |

| Filliary Kuriway | 08/20 | | | |
|---|--|------------------------------------|---|---------------------|
| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 3,801 | . ft | No |
| Primary Runway Width | 75 ft | 50 f | t | No |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Non-pre | cision | No |
| Approach | Precision | Non-pre | cision | No |
| ALS | Yes | No | | No |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | No | | No |
| Taxiway Lighting | Yes | No | | No |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 62 aircraft fleet: | No. of based aircraft hangar 89 spaces: | Yes |
| covered Alleran Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 4,250 sq ft | 5,810 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | ; | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |
| | | · - - | | |



Figure A.21. Lewis University

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Lewis University | |
| Associated City | Chicago/Romeoville | |
| FAA ID | LOT | |
| IASP Airport Role | Illinois Regional | |
| Primary Runway | 02/20 | |

| Primary Kunway | 02/20 | | | |
|---|--|------------------------------------|--|---------------------|
| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II | D-II | | Yes |
| Primary Runway Length | 5,000 ft | 6,500 |) ft | Yes |
| Primary Runway Width | 75 ft | 100 | ft | Yes |
| Primary Runway Surface | Paved | Pave | :d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | ; | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Non-pre | cision | No |
| Approach | Precision | Non-pre | cision | No |
| ALS | Yes | NP | | NP |
| Rotating Beacon | Yes | Yes | ; | Yes |
| VGSIs | Yes | Yes | ; | Yes |
| REILs | Yes | Yes | ; | Yes |
| Runway Lighting | Yes | Yes | ; | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | ; | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircreft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 86 aircraft fleet: | No. of based aircraft hangar 118 spaces: | Yes |
| Covered Aircraft Storage | capacity for transient aircraft | No transient hangar capacity | | No |
| Landside Facilities | Illinois Regional Objective | Existing Co | onditions | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 13,231 sq ft | 36,000 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | No |
| Jet A Fuel | Yes | Yes | 3 | Yes |
| Aircraft De-Icing | Not an Objective | Yes | 3 | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | 3 | Yes |
| | | | | |



Figure A.22. Vermillion Regional

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Vermilion Regional | |
| Associated City | Danville | |
| FAA ID | DNV | |
| IASP Airport Role | Illinois Regional | |
| Primary Runway | 03/21 | |

| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
|---|--|---|---|---------------------|
| ARC | A/B-II | C-III | | Yes |
| Primary Runway Length | 5,000 ft | 6,006 ft | | Yes |
| Primary Runway Width | 75 ft | 100 1 | ft | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precisi | ion | Yes |
| Approach | Precision | Precisi | ion | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Countred Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 37 aircraft fleet: | No. of based aircraft hangar 87 spaces: | Yes |
| Covered Aircraft Storage | capacity for transient aircraft | 99% available capacity for transient aircraft | | Yes |
| Landside Facilities | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 2,250 sq ft | 13,400 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A. 23. DeKalb Taylor Municipal

| | Airport Information | |
|-------------------|-------------------------|--|
| Airport Name | DeKalb Taylor Municipal | |
| Associated City | DeKalb | |
| FAA ID | DKB | |
| IASP Airport Role | Illinois Regional | |
| Primary Runway | 02/20 | |

| 1 Timary Ranway | 02/20 | | | |
|---|--|---|---|---------------------|
| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II | D-III | | Yes |
| Primary Runway Length | 5,000 ft | 7,026 ft | | Yes |
| Primary Runway Width | 75 ft | 100 | ft | Yes |
| Primary Runway Surface | Paved | Pave | :d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | ; | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precis | ion | Yes |
| Approach | Precision | Precis | ion | Yes |
| ALS | Yes | Yes | ; | Yes |
| Rotating Beacon | Yes | Yes | ; | Yes |
| VGSIs | Yes | Yes | ; | Yes |
| REILs | Yes | Yes | ; | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | S | Yes |
| Taxiway Lighting | Yes | Yes | ; | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 43 aircraft fleet: | No. of based aircraft hangar 62 spaces: | Yes |
| Covered All Clair Storage | capacity for transient aircraft | 40% available capacity for transient aircraft | | No |
| Landside Facilities | Illinois Regional Objective | Existing Co | onditions | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 3,375 sq ft | 22,500 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | Yes | | N/A |
| Pilot Area/Flight Planning Area | | Yes Yes | | Yes |



Figure A.24. Effingham County Memorial

| | Airport Information | |
|-------------------|---------------------------|--|
| Airport Name | Effingham County Memorial | |
| Associated City | Effingham | |
| FAA ID | 1H2 | |
| IASP Airport Role | Illinois Regional | |
| Primary Runway | 11/29 | |

| 1 minary manway | 11/23 | | | |
|---|--|------------------------------------|---|---------------------|
| Airfield | Illinois Regional Objective | Existing Co | Existing Conditions | |
| ARC | A/B-II | C-l | | Yes |
| Primary Runway Length | 5,000 ft | 5,103 | ft | Yes |
| Primary Runway Width | 75 ft | 100 | ft | Yes |
| Primary Runway Surface | Paved | Pave | ed . | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Partial Pa | arallel | No |
| Runway Markings | Precision | Non-pre | cision | No |
| Approach | Precision | Non-pre | cision | No |
| ALS | Yes | No | | No |
| Rotating Beacon | Yes | Yes | , | Yes |
| VGSIs | Yes | Yes | ; | Yes |
| REILs | Yes | Yes | , | Yes |
| Runway Lighting | Yes | Yes | ; | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | ; | Yes |
| Taxiway Lighting | Yes | Yes | ; | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based aircraft fleet: | No. of based aircraft hangar 24 spaces: | Yes |
| Covered All Gall Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Regional Objective | Existing Co | onditions | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 3,113 sq ft | 1,925 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | 3 | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | 3 | Yes |
| | | | | |



Figure A.25. Galesburg Municipal

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Galesburg Municipal | |
| Associated City | Galesburg | |
| FAA ID | GBG | |
| IASP Airport Role | Illinois Regional | |
| Primary Runway | 03/21 | |

| Timal y Maritra y | 00,21 | | | |
|---|--|------------------------------------|---|---------------------|
| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II | C-II | | Yes |
| Primary Runway Length | 5,000 ft | 5,792 | ? ft | Yes |
| Primary Runway Width | 75 ft | 150 | ft | Yes |
| Primary Runway Surface | Paved | Pave | ed . | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | 3 | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precis | ion | Yes |
| Approach | Precision | Precis | ion | Yes |
| ALS | Yes | Yes | 3 | Yes |
| Rotating Beacon | Yes | Yes | 3 | Yes |
| VGSIs | Yes | Yes | 3 | Yes |
| REILs | Yes | Yes | 3 | Yes |
| Runway Lighting | Yes | Yes | S | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | ; | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 22 aircraft fleet: | No. of based aircraft hangar 32 spaces: | Yes |
| covered Aircraft Storage | capacity for transient aircraft | No transient hangar capacity | | No |
| Landside Facilities | Illinois Regional Objective | Existing Co | onditions | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 1,200 sq ft | 4,800 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | 3 | Yes |
| Jet A Fuel | Yes | Yes | 3 | Yes |
| Aircraft De-Icing | Not an Objective | Yes | 3 | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | 3 | Yes |
| | | | | |



Figure A.26. Jacksonville Municipal

| | Airport Information | |
|-------------------|------------------------|--|
| Airport Name | Jacksonville Municipal | |
| Associated City | Jacksonville | |
| FAA ID | IJX | |
| IASP Airport Role | Illinois Regional | |
| Primary Runway | 13/31 | |

| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | A/B-II | C-I | | Yes |
| Primary Runway Length | 5,000 ft | 5,000 ft | | Yes |
| Primary Runway Width | 75 ft | 75 fr | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Non-pred | cision | No |
| Approach | Precision | Non-pred | cision | No |
| ALS | Yes | No | | No |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 19 aircraft fleet: | No. of based aircraft hangar 32 spaces: | Yes |
| Covered All Claft Storage | capacity for transient aircraft | No transient hangar capacity | | No |
| Landside Facilities | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 863 sq ft | 3,196 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.27. Greater Kankakee

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Greater Kankakee | |
| Associated City | Kankakee | |
| FAA ID | IKK | |
| IASP Airport Role | Illinois Regional | |
| Primary Runway | 04/22 | |

| Primary Runway | 04/22 | | | |
|---|--|------------------------------------|--|---------------------|
| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II | D-II | | Yes |
| Primary Runway Length | 5,000 ft | 5,981 | .ft | Yes |
| Primary Runway Width | 75 ft | 100 | ft | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precis | ion | Yes |
| Approach | Precision | Precis | ion | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 58 aircraft fleet: | No. of based aircraft hangar 105 spaces: | Yes |
| covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Regional Objective | Existing Co | onditions | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 5,875 sq ft | 6,720 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A. 28. Macomb Municipal

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Macomb Municipal | |
| Associated City | Macomb | |
| FAA ID | MQB | |
| IASP Airport Role | Illinois Regional | |
| Primary Runway | 09/27 | |

| Primary Runway | 09/2/ | | | |
|---|--|------------------------------------|---|---------------------|
| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II | D-II | | Yes |
| Primary Runway Length | 5,000 ft | 5,100 |) ft | Yes |
| Primary Runway Width | 75 ft | 100 | ft | Yes |
| Primary Runway Surface | Paved | Pave | ·d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Partial Pa | arallel | No |
| Runway Markings | Precision | Non-pre | cision | No |
| Approach | Precision | Non-pre | cision | No |
| ALS | Yes | NP | | NP |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 18 aircraft fleet: | No. of based aircraft hangar 37 spaces: | Yes |
| Covered All Craft Storage | capacity for transient aircraft | No transient hangar capacity | | No |
| Landside Facilities | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 1,125 sq ft | 5,600 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | 3 | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.29. Coles County Memorial

| Airport Information | | | |
|---------------------|-----------------------|--|--|
| Airport Name | Coles County Memorial | | |
| Associated City | Mattoon/Charleston | | |
| FAA ID | МТО | | |
| IASP Airport Role | Illinois Regional | | |
| Primary Runway | 11/29 | | |

| rillial y Nullway | 11/29 | | | |
|---|--|---|---|---------------------|
| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II | C-II | l | Yes |
| Primary Runway Length | 5,000 ft | 6,501 | l ft | Yes |
| Primary Runway Width | 75 ft | 150 | ft | Yes |
| Primary Runway Surface | Paved | Pave | ed | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | 3 | Yes |
| Taxiway | Full Parallel | Full Par | rallel | Yes |
| Runway Markings | Precision | Precis | ion | Yes |
| Approach | Precision | Precis | ion | Yes |
| ALS | Yes | Yes | 3 | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available capacity for transient aircraft | 60% of based aircraft fleet: 37 | No. of based aircraft hangar 53 spaces: | Yes |
| | | 75% available capacity for transient aircraft | | Yes |
| Landside Facilities | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour passengers | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 4,069 sq ft | 7,000 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | Yes | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | 3 | Yes |
| | | | | |



Figure A.30. Bult Field

| | Airport Information | ort Information | |
|-------------------|---------------------|-----------------|--|
| Airport Name | Bult Field | | |
| Associated City | Monee | | |
| FAA ID | C56 | | |
| IASP Airport Role | Illinois Regional | | |
| Primary Runway | 09/27 | | |

| Primary Runway | 09/2/ | | | |
|---|--|------------------------------------|--|---------------------|
| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II | B-I | | No |
| Primary Runway Length | 5,000 ft | 5,001 | . ft | Yes |
| Primary Runway Width | 75 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Non-pre | cision | No |
| Approach | Precision | Non-pre | cision | No |
| ALS | Yes | No | | No |
| Rotating Beacon | Yes | No | | No |
| VGSIs | Yes | No | | No |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | No | | No |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available capacity for transient aircraft | 60% of based 44 aircraft fleet: | No. of based aircraft hangar 139 spaces: | Yes |
| | | 0 transient hangars | | No |
| Landside Facilities | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour passengers | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 1,663 sq ft | 10,000 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| | | No | | N/A |
| Aircraft De-Icing | Not an Objective | Yes | | IV/A |

Note: SRE at Bult Field is owned and operated by the FBO





Figure A.31. Morris Municipal - James R Washburn Field

| | Airport Information |
|-------------------|---|
| Airport Name | Morris Municipal-James R Washburn Field |
| Associated City | Morris |
| FAA ID | C09 |
| IASP Airport Role | Illinois Regional |
| Primary Runway | 18/36 |

| Primary Runway | 18/36 | | | |
|---|--|------------------------------------|---|---------------------|
| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 5,501 ft | | Yes |
| Primary Runway Width | 75 ft | 7 5 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Non-pre | cision | No |
| Approach | Precision | Non-pre | cision | No |
| ALS | Yes | No | | No |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | i | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 45 aircraft fleet: | No. of based aircraft hangar 74 spaces: | Yes |
| Covered All Claft Storage | capacity for transient aircraft | No transient hangar capacity | | No |
| Landside Facilities | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 5,250 sq ft | 5,100 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | · | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.32. Mount Vernon

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Mount Vernon | |
| Associated City | Mount Vernon | |
| FAA ID | MVN | |
| IASP Airport Role | Illinois Regional | |
| Primary Runway | 05/23 | |

| Timilary itaniway | 03/23 | | | |
|---|--|---|---|---------------------|
| Airfield | Illinois Regional Objective | Existing Co | Existing Conditions | |
| ARC | A/B-II | C-III | | Yes |
| Primary Runway Length | 5,000 ft | 6,496 ft | | Yes |
| Primary Runway Width | 75 ft | 150 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precisi | on | Yes |
| Approach | Precision | Precisi | on | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 27 aircraft fleet: | No. of based aircraft hangar 36 spaces: | Yes |
| Covered All Clair Stolage | capacity for transient aircraft | 50% available capacity for transient aircraft | | Yes |
| Landside Facilities | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 3,407 sq ft | 25,300 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | Yes | | Yes |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | Yes | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |
| | | | | |



Figure A.33. Illinois Valley Regional-Walter A Duncan Field

| | Airport Information |
|-------------------|--|
| Airport Name | Illinois Valley Regional-Walter A Duncan Field |
| Associated City | Peru |
| FAA ID | VYS |
| IASP Airport Role | Illinois Regional |
| Primary Runway | 18/36 |

| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
|---|--|--|---|---------------------|
| ARC | A/B-II | C-II | | Yes |
| Primary Runway Length | 5,000 ft | 6,001 ft | | Yes |
| Primary Runway Width | 75 ft | 100 ft | | Yes |
| Primary Runway Surface | Paved | Paved | t | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Partial Pa | rallel | No |
| Runway Markings | Precision | Precisio | on | Yes |
| Approach | Precision | Non-prec | ision | No |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | No | | No |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 28 aircraft fleet: | No. of based aircraft hangar 39 spaces: | Yes |
| Covered Andrait Storage | capacity for transient aircraft | 100% available capacity for transient aircraft | | Yes |
| Landside Facilities | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 2,606 sq ft | 6,776 sq ft | |
| Snow Removal Equipment | Yes | Yes, through mutual aid agreement | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.34. Whiteside County-Jos H Bittorf Field

| | Airport Information |
|-------------------|--------------------------------------|
| Airport Name | Whiteside County-Jos H Bittorf Field |
| Associated City | Sterling/Rockfalls |
| FAA ID | SQI |
| IASP Airport Role | Illinois Regional |
| Primary Runway | 07/25 |

| Airfield | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | A/B-II | C-III | | Yes |
| Primary Runway Length | 5,000 ft | 6,499 ft | | Yes |
| Primary Runway Width | 75 ft | 150 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Precision | Precis | ion | Yes |
| Approach | Precision | Precis | ion | Yes |
| ALS | Yes | Yes | | Yes |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 25 aircraft fleet: | No. of based aircraft hangar 44 spaces: | Yes |
| Covered And all Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 4,075 sq ft | 3,819 sq ft | |
| Snow Removal Equipment | Yes | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes | No | | No |
| Airport Services | Illinois Regional Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.35. Bolingbrook's Clow International

| | Airport Information | |
|-------------------|----------------------------------|--|
| Airport Name | Bolingbrook's Clow International | |
| Associated City | Bolingbrook | |
| FAA ID | 1C5 | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 18/36 | |

| Airfield | Illinois Local Objective | Existing Co | enditions | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | A/B-II Small Aircraft | B-I | | No |
| Primary Runway Length | 5,000 ft | 3,386 ft | | No |
| Primary Runway Width | 75 ft | 75 ft | | Yes |
| Primary Runway Surface | Paved | Paved | | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Full Para | allel | Yes |
| Runway Markings | Non-precision | Non-pred | ision | Yes |
| Approach | Non-precision | Non-pred | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | No | | No |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | No | | No |
| Taxiway Lighting | Yes | No | | No |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 57 aircraft fleet: | No. of based aircraft hangar 35 spaces: | No |
| covered virtual storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 6,250 sq ft | No GA Terminal Building | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.36. Ingersoll

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Ingersoll | |
| Associated City | Canton | |
| FAA ID | СТК | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 18/36 | |

| Airfield | Illinois Local Objective | Existing Co | onditions | Meets |
|---|--|------------------------------------|---|---------------------|
| Airricia | illinois Essai Objective | | | Objective? |
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 3,899 ft | | No |
| Primary Runway Width | 75 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Turnard | ound | No |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | No | | No |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 19 aircraft fleet: | No. of based aircraft hangar 34 spaces: | Yes |
| Covered Alicialt Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Co | onditions | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 2,375 sq ft | 1,701 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | No | | No |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |
| | | | | |



Figure A.37. Carmi Municipal

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Carmi Municipal | |
| Associated City | Carmi | |
| FAA ID | CUL | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 18/36 | |

| Fillial y Nullway | 18/30 | | | |
|---|--|------------------------------------|---|---------------------|
| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 4,000 |) ft | No |
| Primary Runway Width | 75 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | :d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | 3 | Yes |
| VGSIs | Yes | Yes | 3 | Yes |
| REILs | Yes | Yes | 3 | Yes |
| Runway Lighting | Yes | Yes | 3 | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | 3 | Yes |
| Taxiway Lighting | Yes | Yes | 3 | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 14 aircraft fleet: | No. of based aircraft hangar 24 spaces: | Yes |
| Covered Aliciait Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Co | onditions | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 1,688 sq ft | 525 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | 5 | Yes |
| | | | | |



Figure A.38. Casey Municipal

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Casey Municipal | |
| Associated City | Casey | |
| FAA ID | 1H8 | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 04/22 | |

| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------------------|
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 4,001 | ft | No |
| Primary Runway Width | 75 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Partial Pa | arallel | No |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | No | | No |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | No | | No |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 9 aircraft fleet: | No. of based aircraft hangar 31 spaces: | Yes |
| covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 994 sq ft | 6,400 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes, through mutual aid agreement | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | No | | No |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | · | Yes |



Figure A.39. Centralia Municipal

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Centralia Municipal | |
| Associated City | Centralia | |
| FAA ID | ENL | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 18/36 | |

| Timaly italities | | | | Meets |
|---|--|------------------------------------|---|---------------------------------|
| Airfield | Illinois Local Objective | Existing Conditions | | Objective? |
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 5,001 | . ft | Yes |
| Primary Runway Width | 75 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | ·d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | 3 | Yes |
| VGSIs | Yes | Yes | 3 | Yes |
| REILs | Yes | Yes | 3 | Yes |
| Runway Lighting | Yes | Yes | 3 | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | 3 | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 20 aircraft fleet: | No. of based aircraft hangar 20 spaces: | Yes |
| Covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Co | onditions | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 3,494 sq ft | 3,745 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes, through mutual aid agreement | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | No |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | 3 | Yes |



Figure A.40. Lansing Municipal

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Lansing Municipal | |
| Associated City | Chicago | |
| FAA ID | IGQ | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 18/36 | |

| Timaly Kullway | 10/30 | | | |
|---|--|---|--|---------------------|
| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 4,002 | ft | No |
| Primary Runway Width | 75 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 61 aircraft fleet: | No. of based aircraft hangar 150 spaces: | Yes |
| Covered Alicialt Storage | capacity for transient aircraft | 95% available capacity for transient aircraft | | Yes |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 7,425 sq ft | 2,300 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | · | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |
| | | · == | | |



Figure A.41. Schaumburg Regional

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Schaumburg Regional | |
| Associated City | Chicago/Schaumburg | |
| FAA ID | 06C | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 11/29 | |

| Airfield | Illinois Local Objective | Existing Co | onditions | Meets Objective? | |
|---|--|------------------------------------|---|---------------------|----|
| ARC | A/B-II Small Aircraft | B-II | | Yes | |
| Primary Runway Length | 5,000 ft | 3,800 | ft | No | |
| Primary Runway Width | 75 ft | 100 | ft | Yes | |
| Primary Runway Surface | Paved | Pave | d | Yes | |
| Skid Treatment (Groove/PFC) | Yes | No | | No | |
| Taxiway | Full Parallel | Full Par | allel | Yes | |
| Runway Markings | Non-precision | Basi | С | No | |
| Approach | Non-precision | Visua | al | No | |
| ALS | Not an Objective | No | | N/A | |
| Rotating Beacon | Yes | Yes | | Yes | |
| VGSIs | Yes | Yes | | Yes | |
| REILs | Yes | Yes | | Yes | |
| Runway Lighting | Yes | Yes | | Yes | |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | : | Yes | |
| Taxiway Lighting | Yes | Yes | | Yes | |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 44 aircraft fleet: | No. of based aircraft hangar 53 spaces: | Yes | |
| covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | aircraft | No |
| Landside Facilities | Illinois Local Objective | Existing Co | onditions | Meets Objective? | |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes | |
| | passengers | 5,625 sq ft | 13,384 sq ft | | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes | |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No | |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? | |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | No | |
| Jet A Fuel | Yes | Yes | | Yes | |
| Aircraft De-Icing | Not an Objective | No | | N/A | |
| Pilot Area/Flight Planning Area | Yes | Yes | 3 | Yes | |



Figure A.42. Dixon Municipal-Charles R Walgreen Field

| | Airport Information |
|-------------------|--|
| Airport Name | Dixon Municipal-Charles R Walgreen Field |
| Associated City | Dixon |
| FAA ID | C73 |
| IASP Airport Role | Illinois Local |
| Primary Runway | 08/26 |

| Primary Runway Length | Primary Runway | 08/26 | | | |
|--|---|--------------------------|---------------------|--------------------|-----|
| Primary Runway Length Primary Runway Wildth Pres Pres Pres Pres Pres Pres Pres Pres | Airfield | Illinois Local Objective | Existing Conditions | | |
| Primary Runway Wifath Primary Runway Surface Paved Pav | ARC | A/B-II Small Aircraft | B-I | | No |
| Primary Runway Surface Paved | Primary Runway Length | 5,000 ft | 3,897 | ft | No |
| Skid Treatment (Groove/PFC) Yes Pull Parallel Full Parallel Yes Runway Markings Non-precision Non-pr | Primary Runway Width | 75 ft | 75 f | t | Yes |
| Taxiway Full Parallel Full Parallel Yes Runway Markings Non-precision Non-precison Non-precision Non-precision Non-precision Non-precision Non-precision Non-precision Non-precision Non-precision Non-precison Non-precision Non-precision Non-precision Non-precision Non-precison N | Primary Runway Surface | Paved | Pave | d | Yes |
| Runway Markings Non-precision Non-precision Yes Approach Non-precision Non-precision Non-precision Yes Non-precision Yes Non-precision Non-precision Yes Non-precision Yes | Skid Treatment (Groove/PFC) | Yes | No | | No |
| Approach Non-precision Non-precision Yes ALS Not an Objective No Non-precision Yes ALS Not an Objective No No N/A Rotating Beacon Yes Yes Yes Yes COSIS Yes Yes Yes Yes REILS Yes Yes Yes Yes REILS Yes Yes Yes Yes Runway Lighting Yes Yes Yes Weather Reporting (ASOS/AWOS) Taxiway Lighting Yes No No No No Obsaed aircraft fleet and at least 50% available capacity for transient aircraft fleet: 23 aircraft hangar 48 spaces: Covered Aircraft Storage Illinois Local Objective Existing Conditions Acceptable ratio of GA terminal square footage to peak hour passengers S,000 sq ft 2,475 sq ft Pes Yes Yes Yes Yes Yes Yes Yes Yes Yes Y | Taxiway | Full Parallel | Full Par | allel | Yes |
| ALS Not an Objective No N/A Rotating Beacon Yes Yes Yes Yes REILS Yes Yes Yes RUNWAY Lighting Yes Yes Yes Weather Reporting (ASOS/AWOS) Taxiway Lighting Yes Yes Yes Covered Aircraft Storage Covered Aircraft Storage Landside Facilities Illinois Local Objective Acceptable ratio of GA terminal square footage to peak hour passengers Snow Removal Equipment Yes, or through mutual aid agreement Yes, or through mutual aid agreement Airport Services Illinois Local Objective Airport Services Illinois Local Objective Existing Conditions Meets Objective? No No No Reats Objective? Existing Conditions Meets Objective? No No No No No No No No No N | Runway Markings | Non-precision | Non-pre | cision | Yes |
| Rotating Beacon Yes Yes Yes Yes Yes Yes Yes Yes SIGNS Yes | Approach | Non-precision | Non-pre | cision | Yes |
| VGSIs Yes Yes Yes REILs Yes Yes Yes Runway Lighting Yes Yes Yes Weather Reporting (ASOS/AWOS) Yes Yes Yes Taxiway Lighting Yes No No No Covered Aircraft Storage Hangars for 60% of based aircraft fleet: and at least 50% available capacity for transient aircraft 23 No. of based aircraft hangar spoces: No Landside Facilities Illinois Local Objective Existing Conditions Meets Objective? Terminal (GA) Acceptable ratio of GA terminal square footage to peak hour passengers GA terminal square footage No Snow Removal Equipment Yes, or through mutual aid agreement Yes Yes Dedicated Maintenance/SRE Storage Building Yes - if SRE available No - if SRE available No - if SRE unavailable No No Airport Services Illinois Local Objective Existing Conditions Meets Objective? 24-Hour Fuel (AvGas or JetA) Yes Yes No Aircraft De-Icing Not an Objective No No | ALS | Not an Objective | No | | N/A |
| REILS Yes Yes Yes Runway Lighting Yes Yes Yes Weather Reporting (ASOS/AWOS) Yes Yes Yes Weather Reporting (ASOS/AWOS) Yes Yes Yes Yes Taxiway Lighting Yes No No. of based aircraft fleet and at least 50% available capacity for transient aircraft fleet and at least 50% available capacity for transient aircraft fleet and at least 50% available capacity for transient aircraft fleet and at least 50% available capacity for transient aircraft O transient hangars No Meets Objective? Acceptable ratio of GA terminal square footage to peak hour passengers Footage Snow Removal Equipment Yes, or through mutual aid agreement Yes - if SRE available No - if SRE unavailable No - if SRE unavailable Airport Services Illinois Local Objective Existing Conditions GA terminal square footage 5,000 sq ft 2,475 sq ft No No No No No No No No No N | Rotating Beacon | Yes | Yes | ; | Yes |
| Runway Lighting Yes Yes Yes Yes Weather Reporting (ASOS/AWOS) Yes Yes Yes Taxiway Lighting Yes Yes Yes Yes Taxiway Lighting Yes Yes Yes Yes Taxiway Lighting Yes No | VGSIs | Yes | Yes | ; | Yes |
| Weather Reporting (ASOS/AWOS) Yes Yes Yes Yes Yes No No< | REILs | Yes | Yes | | Yes |
| Taxiway Lighting Yes Hangars for 60% of based aircraft fleet: Covered Aircraft Storage Hangars for 60% of based aircraft fleet and at least 50% available capacity for transient aircraft Illinois Local Objective Existing Conditions Meets Objective? Acceptable ratio of GA terminal square footage to peak hour passengers Snow Removal Equipment Yes, or through mutual aid agreement Yes, or through mutual aid agreement Pedicated Maintenance/SRE Storage Building Airport Services Illinois Local Objective Existing Conditions Meets Objective? No No No No No No No No No N | Runway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage Hangars for 60% of based aircraft fleet and at least 50% available capacity for transient aircraft Hangars for 60% of based aircraft fleet: 23 No. of based aircraft hangar 48 yes | Weather Reporting (ASOS/AWOS) | Yes | Yes | ; | Yes |
| Covered Aircraft Storage Hangars for 60% of based aircraft fleet and at least 50% available capacity for transient aircraft fleet and at least 50% available capacity for transient aircraft O transient hangars No | Taxiway Lighting | Yes | No | | No |
| Landside Facilities Illinois Local Objective Existing Conditions Meets Objective? Acceptable ratio of GA terminal square footage to peak hour passengers Terminal (GA) Yes, or through mutual aid agreement Pedicated Maintenance/SRE Storage Building Airport Services Illinois Local Objective Illinois Local Objective Existing Conditions Minimum GA terminal square footage 5,000 sq ft 2,475 sq ft Yes Yes No No No No No Airport Services Illinois Local Objective Existing Conditions Meets Objective? Yes Yes Yes Yes Yes Yes Yes Y | Covered Aircraft Storage | | 23 | aircraft hangar 48 | Yes |
| Landside Facilities Illinois Local Objective Existing Conditions Objective? Terminal (GA) Acceptable ratio of GA terminal square footage to peak hour passengers Minimum GA terminal square footage GA terminal square footage No Snow Removal Equipment Yes, or through mutual aid agreement Yes Yes Yes Dedicated Maintenance/SRE Storage Building Yes - if SRE available No - if SRE unavailable No No Airport Services Illinois Local Objective Existing Conditions Meets Objective? 24-Hour Fuel (AvGas or JetA) Yes Yes Yes Jet A Fuel Yes No No Aircraft De-Icing Not an Objective No N/A | Covered Allicialt Storage | | 0 transient hangars | | No |
| Terminal (GA) Square footage to peak hour passengers Snow Removal Equipment Yes, or through mutual aid agreement Yes - if SRE available No - if SRE unavailable No - if SRE unavailable No - if SRE unavailable Airport Services Illinois Local Objective Yes - | Landside Facilities | Illinois Local Objective | Existing Co | onditions | |
| Snow Removal Equipment Yes, or through mutual aid agreement Yes Pes - if SRE available No - if SRE unavailable No - if SRE unavailable No Storage Building Airport Services Illinois Local Objective Existing Conditions Meets Objective? 24-Hour Fuel (AvGas or JetA) Yes Yes Yes Yes Yes Yes Yes Ye | Terminal (GA) | i i | | · · | No |
| Dedicated Maintenance/SRE Yes - if SRE available No - if SRE unavailable Airport Services Illinois Local Objective Existing Conditions Meets Objective? 24-Hour Fuel (AvGas or JetA) Yes Yes Yes Yes Yes Yes Yes Yes Yes Ye | | passengers | 5,000 sq ft | 2,475 sq ft | |
| Storage Building No - if SRE unavailable No - if SRE unavailable No - if SRE unavailable Existing Conditions Meets Objective? 24-Hour Fuel (AvGas or JetA) Yes Yes Yes Yes No No No Aircraft De-Icing No tan Objective | Snow Removal Equipment | | Yes | | Yes |
| Airport Services Illinois Local Objective Existing Conditions Objective? 24-Hour Fuel (AvGas or JetA) Yes Yes Yes Jet A Fuel Yes No No No Aircraft De-Icing Not an Objective No N/A | Dedicated Maintenance/SRE Storage Building | | No | | No |
| Yes No No No Aircraft De-Icing Not an Objective No N/A | Airport Services | Illinois Local Objective | Existing Conditions | | |
| Aircraft De-Icing Not an Objective No N/A | 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| , | Jet A Fuel | Yes | No | | No |
| Pilot Area/Flight Planning Area Yes Yes Yes | Aircraft De-Icing | Not an Objective | No | | N/A |
| | Pilot Area/Flight Planning Area | Yes | Yes | 3 | Yes |



Figure A.43. Albertus

| | Airport Information |
|-------------------|---------------------|
| Airport Name | Albertus |
| Associated City | Freeport |
| FAA ID | FEP |
| IASP Airport Role | Illinois Local |
| Primary Runway | 06/24 |

| Timary rearrivay | | | | |
|---|--|------------------------------------|---|---------------------|
| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II Small Aircraft | D-II | | Yes |
| Primary Runway Length | 5,000 ft | 5,504 ft | | Yes |
| Primary Runway Width | 75 ft | 100 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Non-precision | Precisi | ion | Yes |
| Approach | Non-precision | Precisi | ion | Yes |
| ALS | Not an Objective | Yes | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 35 aircraft fleet: | No. of based aircraft hangar 67 spaces: | Yes |
| covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 2,548 sq ft | 9,200 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |

aurr



Figure A.44. Greeneville

| | Airport Information |
|-------------------|---------------------|
| Airport Name | Greenville |
| Associated City | Greenville |
| FAA ID | GRE |
| IASP Airport Role | Illinois Local |
| Primary Runway | 18/36 |

| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
|---|--|--|---|---------------------|
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 4,002 ft | | No |
| Primary Runway Width | 75 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Partial Pa | rallel | No |
| Runway Markings | Non-precision | Non-pred | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based aircraft fleet: 32 | No. of based aircraft hangar 46 spaces: | Yes |
| covered Aircraft Storage | capacity for transient aircraft | 100% available capacity for transient aircraft | | Yes |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 3,000 sq ft | 2,100 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.45. Harrisburg-Raleigh

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Harrisburg-Raleigh | |
| Associated City | Harrisburg | |
| FAA ID | HSB | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 06/24 | |

| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|--|---------------------|
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 5,013 ft | | Yes |
| Primary Runway Width | 75 ft | 75 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Partial Pa | arallel | No |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based aircraft fleet: | No. of based aircraft hangar 0 spaces: | No |
| covered / in ordinationage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 2,213 sq ft | 6,500 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.46. Joliet Regional

| | Airport Information |
|-------------------|---------------------|
| Airport Name | Joliet Regional |
| Associated City | Joliet |
| FAA ID | JOT |
| IASP Airport Role | Illinois Local |
| Primary Runway | 13/31 |

| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | A/B-II Small Aircraft | B-I | | No |
| Primary Runway Length | 5,000 ft | 2,821 ft | | No |
| Primary Runway Width | 75 ft | 100 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Visua | al | No |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 43 aircraft fleet: | No. of based aircraft hangar 62 spaces: | Yes |
| | capacity for transient aircraft | | | No |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 3,038 sq ft | 12,600 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.47. Kewanee Municipal

| | Airport Information |
|-------------------|---------------------|
| Airport Name | Kewanee Municipal |
| Associated City | Kewanee |
| FAA ID | EZI |
| IASP Airport Role | Illinois Local |
| Primary Runway | 09/27 |

| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 4,500 ft | | No |
| Primary Runway Width | 75 ft | 75 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Partial Pa | arallel | No |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | ; | Yes |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | i | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | No | | No |
| Taxiway Lighting | Yes | Yes | : | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available capacity for transient aircraft | 60% of based 13 aircraft fleet: | No. of based aircraft hangar 30 spaces: | Yes |
| covered Aircraft Storage | | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 1,495 sq ft | 2,400 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | No | | No |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.48. Marshall County

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Marshall County | |
| Associated City | Lacon | |
| FAA ID | C75 | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 13/31 | |

| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------------------|
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 4,003 ft | | No |
| Primary Runway Width | 75 ft | 75 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Partial Pa | ırallel | No |
| Runway Markings | Non-precision | Non-pred | cision | Yes |
| Approach | Non-precision | Non-pred | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 31 aircraft fleet: | No. of based aircraft hangar 52 spaces: | Yes |
| covered / in clust storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 2,325 sq ft | 3,224 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | No | | No |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | No | | No |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.49. Lawrenceville-Vincennes International

| | Airport Information |
|-------------------|---------------------------------------|
| Airport Name | Lawrenceville-Vincennes International |
| Associated City | Lawrenceville |
| FAA ID | LWV |
| IASP Airport Role | Illinois Local |
| Primary Runway | 09/27 |

| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
|---|--|---|---|---------------------|
| ARC | A/B-II Small Aircraft | C-II | | Yes |
| Primary Runway Length | 5,000 ft | 5,198 ft | | Yes |
| Primary Runway Width | 75 ft | 100 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Non-precision | Non-pred | cision | Yes |
| Approach | Non-precision | Non-pred | cision | Yes |
| ALS | Not an Objective | Yes | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 31 aircraft fleet: | No. of based aircraft hangar 42 spaces: | Yes |
| covered Aircraft Storage | capacity for transient aircraft | 40% available capacity for transient aircraft | | No |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 4,338 sq ft | 7,850 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | Yes | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.50. Litchfield Municipal

| | Airport Information |
|-------------------|----------------------|
| Airport Name | Litchfield Municipal |
| Associated City | Litchfield |
| FAA ID | 3LF |
| IASP Airport Role | Illinois Local |
| Primary Runway | 18/36 |

| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 4,002 ft | | No |
| Primary Runway Width | 75 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 20 aircraft fleet: | No. of based aircraft hangar 35 spaces: | Yes |
| covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 1,800 sq ft | 2,600 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.51. Mount Carmel Municipal

| | Airport Information | |
|-------------------|------------------------|--|
| Airport Name | Mount Carmel Municipal | |
| Associated City | Mount Carmel | |
| FAA ID | AJG | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 04/22 | |

| Primary Kunway | 04/22 | | | |
|---|--|--|---|---------------------|
| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II Small Aircraft | C-II | | Yes |
| Primary Runway Length | 5,000 ft | 4,000 |) ft | No |
| Primary Runway Width | 75 ft | 100 | ft | Yes |
| Primary Runway Surface | Paved | Pave | ed | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Full Par | allel | Yes |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | ; | Yes |
| VGSIs | Yes | Yes | ; | Yes |
| REILS | Yes | Yes | 3 | Yes |
| Runway Lighting | Yes | Yes | 1 | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based aircraft fleet: | No. of based aircraft hangar 16 spaces: | Yes |
| Covered All Clair Storage | capacity for transient aircraft | 100% available capacity for transient aircraft | | Yes |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 1,344 sq ft | 1,800 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | 5 | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | 3 | Yes |
| | | | | |



Figure A.52. Olney-Noble

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Olney-Noble | |
| Associated City | Olney-Noble | |
| FAA ID | OLY | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 11/29 | |

| Primary Kuriway | 11/29 | | | |
|---|--|------------------------------------|---|---------------------------------|
| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 4,099 ft | | No |
| Primary Runway Width | 75 ft | 75 ft | | Yes |
| Primary Runway Surface | Paved | Pave | ed | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | 3 | Yes |
| Taxiway | Full Parallel | Partial Pa | arallel | No |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | 3 | Yes |
| VGSIs | Yes | Yes | 3 | Yes |
| REILs | Yes | Yes | 3 | Yes |
| Runway Lighting | Yes | Yes | 3 | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 11 aircraft fleet: | No. of based aircraft hangar 19 spaces: | Yes |
| covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Co | onditions | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 750 sq ft | 5,170 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | No | | No |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | 5 | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | 5 | Yes |



Figure A.53. Pekin Municipal

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Pekin Municipal | |
| Associated City | Pekin | |
| FAA ID | C15 | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 09/27 | |

| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------------------|
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 5,000 ft | | Yes |
| Primary Runway Width | 75 ft | 75 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Partial Pa | arallel | No |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | No | | No |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based aircraft fleet: | No. of based aircraft hangar 51 spaces: | Yes |
| covered / in clust storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Co | onditions | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 1,125 sq ft | 2,565 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | No | | No |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | • | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.54. Mount Hawley Auxiliary

| | Airport Information |
|-------------------|------------------------|
| Airport Name | Mount Hawley Auxiliary |
| Associated City | Peoria |
| FAA ID | ЗМҮ |
| IASP Airport Role | Illinois Local |
| Primary Runway | 18/36 |

| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 4,001 ft | | No |
| Primary Runway Width | 75 ft | 60 f | t | No |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Partial Pa | arallel | No |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | No | | No |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 31 aircraft fleet: | No. of based aircraft hangar 69 spaces: | Yes |
| covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 2,685 sq ft | 9,600 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | , | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.55. Pinckeyville-Du Quoin

| | Airport Information | |
|-------------------|------------------------|--|
| Airport Name | Pinckneyville-Du Quoin | |
| Associated City | Pinckneyville | |
| FAA ID | РЈҮ | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 18/36 | |

| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
|---|--|-------------------------------------|---|---------------------------------|
| ARC | A/B-II Small Aircraft | B-I | No | |
| Primary Runway Length | 5,000 ft | 3,999 | ft | No |
| Primary Runway Width | 75 ft | 60 f | t | No |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Connec | ctor | No |
| Runway Markings | Non-precision | Non-pred | cision | Yes |
| Approach | Non-precision | Non-pred | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | No | | No |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 20 aircraft fleet: | No. of based aircraft hangar 23 spaces: | Yes |
| covered / in ordina storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 1,000 sq ft No GA Terminal Building | | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | No | | No |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | No | | No |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.56. Pontiac Municipal

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Pontiac Municipal | |
| Associated City | Pontiac | |
| FAA ID | PNT | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 06/24 | |

| riiiiai y Kuiiway | 00/24 | | | |
|---|--|------------------------------------|---|---------------------------------|
| Airfield | Illinois Local Objective | Existing Co | onditions | Meets Objective? |
| ARC | A/B-II Small Aircraft | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 5,000 | ft | Yes |
| Primary Runway Width | 75 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | No | | No |
| Taxiway | Full Parallel | Partial Pa | arallel | No |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | : | Yes |
| VGSIs | Yes | Yes | : | Yes |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based aircraft fleet: | No. of based aircraft hangar 15 spaces: | Yes |
| Covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | passengers | 1,250 sq ft | 6,000 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes, through mutual aid agreement | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | <u> </u> | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | · · · · · · · · · · · · · · · · · · · | Yes |
| | | . 2 | | |



Figure A.57. Crawford County

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Crawford County | |
| Associated City | Robinson | |
| FAA ID | RSV | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 09/27 | |

| Timiary Runway | 1 | | | |
|--|--|---|---|---------------------|
| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-II Small Aircraft | D-II | | Yes |
| Primary Runway Length | 5,000 ft | 5,108 | ft | Yes |
| Primary Runway Width | 75 ft | 100 | ft | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | 3 | Yes |
| Taxiway | Full Parallel | Conne | ctor | No |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 9 aircraft fleet: | No. of based aircraft hangar 24 spaces: | Yes |
| Covered Aircraft Storage | capacity for transient aircraft | 80% available capacity for transient aircraft | | Yes |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal GA terminal square square footage footage | | Yes |
| | passengers | 1,431 sq ft | 10,120 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| | | Existing Conditions | | |
| Airport Services | Illinois Local Objective | Existing Co | onditions | Meets Objective? |
| Airport Services 24-Hour Fuel (AvGas or JetA) | Illinois Local Objective | Existing Co | | |
| - | · · | | | Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Objective? Yes |



Figure A.58. Rochelle Municipal Airport-Koritz Field

| | Airport Information | |
|-------------------|-----------------------|--|
| Airport Name | Dacy | |
| Associated City | Harvard | |
| FAA ID | OCO | |
| IASP Airport Role | Illinois Unclassified | |
| Primary Runway | 09/27 | |

| Airfield | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
|---|---|------------------------------------|---|---------------------|
| ARC | A/B-I Small Aircraft | A-I | | Yes |
| Primary Runway Length | Maintain Existing | 3,589 | ft | Yes |
| Primary Runway Width | 60 ft | 105 | ft | Yes |
| Primary Runway Surface | Maintain Existing | Tur | f | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | N/A | 1 | N/A |
| Taxiway | Maintain Existing | Conne | ctor | Yes |
| Runway Markings | Maintain Existing | Non | е | Yes |
| Approach | Maintain Existing | Visua | al | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Not an Objective | No | | N/A |
| VGSIs | Not an Objective | No | | N/A |
| REILs | Not an Objective | No | | N/A |
| Runway Lighting | Not an Objective | No | | N/A |
| Weather Reporting (ASOS/AWOS) | Not an Objective | No | | N/A |
| Taxiway Lighting | Not an Objective | No | | N/A |
| Covered Aircraft Storage | Maintain Existing | Based aircraft 42 fleet: | No. of based aircraft hangar 37 spaces: | No |
| | | 0 transient hangars | | Yes |
| Landside Facilities | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Maintain Existing | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 2,500 sq ft | Unknown | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | N/A |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | · · | N/A |



Figure A.59. Shelby County

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Shelby County | |
| Associated City | Shelbyville | |
| FAA ID | 2H0 | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 18/36 | |

| Airfield | Illinois Local Objective | Existing Conditions | | Meets Objective? |
|---|--|---|---|---------------------|
| ARC | A/B-II Small Aircraft | B-I | No | |
| Primary Runway Length | 5,000 ft | 4,098 | ft | No |
| Primary Runway Width | 75 ft | 7 5 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Yes | Yes | | Yes |
| Taxiway | Full Parallel | Partial Pa | arallel | No |
| Runway Markings | Non-precision | Non-pre | cision | Yes |
| Approach | Non-precision | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Yes | No | | No |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 14 aircraft fleet: | No. of based aircraft hangar 21 spaces: | Yes |
| covered Aircraft Storage | capacity for transient aircraft | 80% available capacity for transient aircraft | | Yes |
| Landside Facilities | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No |
| | passengers | 1,925 sq ft | 1,035 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Yes | Yes | | Yes |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.60. Sparta Community-Hunter Field

| | Airport Information | |
|-------------------|-------------------------------|--|
| Airport Name | Sparta Community-Hunter Field | |
| Associated City | Sparta | |
| FAA ID | SAR | |
| IASP Airport Role | Illinois Local | |
| Primary Runway | 18/36 | |

| Airfield | Illinois Local Objective | Existing Co | onditions | Meets Objective? | | |
|---|--|------------------------------------|---|---------------------------------|--|-----|
| ARC | A/B-II Small Aircraft | B-II | | B-II | | Yes |
| Primary Runway Length | 5,000 ft | 4,002 | ft | No | | |
| Primary Runway Width | 75 ft | 75 f | t | Yes | | |
| Primary Runway Surface | Paved | Pave | d | Yes | | |
| Skid Treatment (Groove/PFC) | Yes | No | | No | | |
| Taxiway | Full Parallel | Full Par | allel | Yes | | |
| Runway Markings | Non-precision | Non-pre | cision | Yes | | |
| Approach | Non-precision | Non-pre | cision | Yes | | |
| ALS | Not an Objective | No | | N/A | | |
| Rotating Beacon | Yes | Yes | | Yes | | |
| VGSIs | Yes | Yes | i | Yes | | |
| REILs | Yes | Yes | | Yes | | |
| Runway Lighting | Yes | Yes | | Yes | | |
| Weather Reporting (ASOS/AWOS) | Yes | Yes | | Yes | | |
| Taxiway Lighting | Yes | Yes | | Yes | | |
| Covered Aircraft Storage | Hangars for 60% of based aircraft fleet and at least 50% available | 60% of based 19 aircraft fleet: | No. of based aircraft hangar 29 spaces: | Yes | | |
| covered Allerate Storage | capacity for transient aircraft | 0 transient hangars | | No | | |
| Landside Facilities | Illinois Local Objective | Existing Co | onditions | Meets Objective? | | |
| Terminal (GA) | Acceptable ratio of GA terminal square footage to peak hour | Minimum GA terminal square footage | GA terminal square footage | No | | |
| | passengers | 3,938 sq ft | 3,080 sq ft | | | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes, through mutual aid agreement | | Yes | | |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable | | |
| Airport Services | Illinois Local Objective | Existing Conditions | | Meets Objective? | | |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes | | |
| Jet A Fuel | Yes | Yes | | Yes | | |
| Aircraft De-Icing | Not an Objective | No | | N/A | | |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes | | |

Note: SRE at Sparta Community-Hunter Field is owned and operated by the FBO





Figure A.61. Greater Beardstown

| | Airport Information |
|-------------------|---------------------|
| Airport Name | Greater Beardstown |
| Associated City | Beardstown |
| FAA ID | K06 |
| IASP Airport Role | Illinois Basic |
| Primary Runway | 18/36 |

| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------------------|
| ARC | A-I/B-I | B-I | | Yes |
| Primary Runway Length | Maintain Existing | 4,000 ft | | Yes |
| Primary Runway Width | 60 ft | 60 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | No | | N/A |
| Taxiway | Partial Parallel | Connector/tu | irnaround | No |
| Runway Markings | Basic | Basi | С | Yes |
| Approach | Maintain Existing | Visua | al | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | No | | No |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | No | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 4 aircraft fleet: | No. of based aircraft hangar 10 spaces: | Yes |
| Covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 500 sq ft | 2,080 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes, through mutual aid agreement | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | No |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | No | | No |



Figure A.62. Benton Municipal

| | Airport Information |
|-------------------|---------------------|
| Airport Name | Benton Municipal |
| Associated City | Benton |
| FAA ID | Н96 |
| IASP Airport Role | Illinois Basic |
| Primary Runway | 18/36 |

| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | A-I/B-I | B-II | | Yes |
| Primary Runway Length | Maintain Existing | 4,002 ft | | Yes |
| Primary Runway Width | 60 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | Yes | | N/A |
| Taxiway | Partial Parallel | Connec | ctor | No |
| Runway Markings | Basic | Non-pre | cision | Yes |
| Approach | Maintain Existing | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | No | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 2 aircraft fleet: | No. of based aircraft hangar 10 spaces: | Yes |
| covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 500 sq ft | 1,600 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.63. Cairo Regional

| | Airport Information |
|-------------------|---------------------|
| Airport Name | Cairo Regional |
| Associated City | Cairo |
| FAA ID | CIR |
| IASP Airport Role | Illinois Basic |
| Primary Runway | 14/32 |

| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
|---|--|--|---|---------------------------------|
| ARC | A-I/B-I | B-II | | Yes |
| Primary Runway Length | Maintain Existing | 4,001 ft | | Yes |
| Primary Runway Width | 60 ft | 100 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | No | | N/A |
| Taxiway | Partial Parallel | Partial Pa | rallel | Yes |
| Runway Markings | Basic | Non-pred | cision | Yes |
| Approach | Maintain Existing | Non-pred | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | Yes | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 8 aircraft fleet: | No. of based aircraft hangar 25 spaces: | Yes |
| Covered Andrait Storage | capacity for transient aircraft | 100% available capacity for transient aircraft | | Yes |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 500 sq ft | 4,050 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes, through mutual aid agreement | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | No |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.64. Fairfield Municipal

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Fairfield Municipal | |
| Associated City | Fairfield | |
| FAA ID | FWC | |
| IASP Airport Role | Illinois Basic | |
| Primary Runway | 09/27 | |

| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
|---|--|---|---|---------------------|
| ARC | A-I/B-I | C-II | | Yes |
| Primary Runway Length | Maintain Existing | 4,000 ft | | Yes |
| Primary Runway Width | 60 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | Yes | | N/A |
| Taxiway | Partial Parallel | Partial Pa | arallel | Yes |
| Runway Markings | Basic | Non-pre | cision | Yes |
| Approach | Maintain Existing | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | Yes | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 6 aircraft fleet: | No. of based aircraft hangar 11 spaces: | Yes |
| Covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal GA terminal square square footage footage | | Yes |
| | | 500 sq ft | 1,440 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Not an Objective | Yes | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | · · · · · · · · · · · · · · · · · · · | Yes |



Figure A.65. Flora Municipal

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Flora Municipal | |
| Associated City | Flora | |
| FAA ID | FOA | |
| IASP Airport Role | Illinois Basic | |
| Primary Runway | 03/21 | |

| , | 1 | | | |
|---|---|------------------------------------|---|---------------------|
| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| ARC | A-I/B-I | B-II | | Yes |
| Primary Runway Length | Maintain Existing | 5,033 ft | | Yes |
| Primary Runway Width | 60 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | No | | N/A |
| Taxiway | Partial Parallel | Connec | ctor | No |
| Runway Markings | Basic | Non-pre | cision | Yes |
| Approach | Maintain Existing | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | Yes | i | N/A |
| Taxiway Lighting | Yes | Yes | ; | Yes |
| Course d Nivers for Change | Hangars for 40% of based aircraft | 40% of based 5 aircraft fleet: | No. of based aircraft hangar 14 spaces: | Yes |
| Covered Aircraft Storage | fleet and at least 25% available capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | No |
| | | 500 sq ft | No GA Terminal Building | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Not an Objective | Yes | · · · · · · · · · · · · · · · · · · · | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | 3 | Yes |
| | | | | |



Figure A.66. Havana Regional

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Havana Regional | |
| Associated City | Havana | |
| FAA ID | 910 | |
| IASP Airport Role | Illinois Basic | |
| Primary Runway | 09/27 | |

| 1 minary manway | 00, 2: | | | |
|---|--|------------------------------------|---|---------------------|
| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| ARC | A-I/B-I | A-I | | Yes |
| Primary Runway Length | Maintain Existing | 2,235 ft | | Yes |
| Primary Runway Width | 60 ft | 100 | ft | Yes |
| Primary Runway Surface | Paved | Tur | f | No |
| Skid Treatment (Groove/PFC) | Not an Objective | N/A | 4 | N/A |
| Taxiway | Partial Parallel | Conne | ctor | No |
| Runway Markings | Basic | Non | e | No |
| Approach | Maintain Existing | Visu | al | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | } | Yes |
| VGSIs | Yes | No | | No |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | . | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | No | | N/A |
| Taxiway Lighting | Yes | No | | No |
| Cougrad Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 5 aircraft fleet: | No. of based aircraft hangar 16 spaces: | Yes |
| Covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 500 sq ft | 3,726 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | , | Yes |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | 3 | Yes |
| Pilot Area/Flight Planning Area | Yes | Yes | • | Yes |



Figure A.67. Logan County

| | Airport Information |
|-------------------|---------------------|
| Airport Name | Logan County |
| Associated City | Lincoln |
| FAA ID | AAA |
| IASP Airport Role | Illinois Basic |
| Primary Runway | 03/21 |

| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | A-I/B-I | B-II | | Yes |
| Primary Runway Length | Maintain Existing | 4,000 ft | | Yes |
| Primary Runway Width | 60 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | No | | N/A |
| Taxiway | Partial Parallel | Connec | ctor | No |
| Runway Markings | Basic | Non-pre | cision | Yes |
| Approach | Maintain Existing | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | Yes | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based aircraft fleet: | No. of based aircraft hangar 42 spaces: | Yes |
| covered Andrait Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 500 sq ft | 3,600 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Not an Objective | No | | N/A |
| Jet A ruei | Not all objective | | No | |
| Aircraft De-Icing | Not an Objective | | | N/A |



Figure A.68. Metropolis Municipal

| | Airport Information |
|-------------------|----------------------|
| Airport Name | Metropolis Municipal |
| Associated City | Metropolis |
| FAA ID | M30 |
| IASP Airport Role | Illinois Basic |
| Primary Runway | 18/36 |

| Trimary Nanway | 10,50 | | | |
|---|--|------------------------------------|---|---------------------|
| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| ARC | A-I/B-I | B-II | | Yes |
| Primary Runway Length | Maintain Existing | 4,002 ft | | Yes |
| Primary Runway Width | 60 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | No | | N/A |
| Taxiway | Partial Parallel | Full Par | allel | No |
| Runway Markings | Basic | Basi | С | Yes |
| Approach | Maintain Existing | Visua | al | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | ; | Yes |
| VGSIs | Yes | No | | No |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | Yes | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 8 aircraft fleet: | No. of based aircraft hangar 19 spaces: | Yes |
| Covered Alicialt Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 500 sq ft | 1,650 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | No |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |
| | | 1.00 | | |



Figure A.69. Monmouth Municipal

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Monmouth Municipal | |
| Associated City | Monmouth | |
| FAA ID | C66 | |
| IASP Airport Role | Illinois Basic | |
| Primary Runway | 03/21 | |

| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------------------|
| ARC | A-I/B-I | B-II | | Yes |
| Primary Runway Length | Maintain Existing | 2,899 ft | | Yes |
| Primary Runway Width | 60 ft | 60 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | No | | N/A |
| Taxiway | Partial Parallel | Connec | ctor | No |
| Runway Markings | Basic | Basi | С | Yes |
| Approach | Maintain Existing | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | No | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 4 aircraft fleet: | No. of based aircraft hangar 10 spaces: | Yes |
| covered / include storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 500 sq ft | 16,400 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes, through mutual aid agreement | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.70. Mount Sterling Municipal

| | Airport Information |
|-------------------|--------------------------|
| Airport Name | Mount Sterling Municipal |
| Associated City | Mount Sterling |
| FAA ID | 163 |
| IASP Airport Role | Illinois Basic |
| Primary Runway | 18/36 |

| riiiiai y Kuriway | 18/30 | | | |
|---|---|------------------------------------|--|---------------------------------|
| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| ARC | A-I/B-I | B-II | | Yes |
| Primary Runway Length | Maintain Existing | 5,905 | ft | Yes |
| Primary Runway Width | 60 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | Yes | | N/A |
| Taxiway | Partial Parallel | Partial Pa | arallel | Yes |
| Runway Markings | Basic | Non-pre | cision | Yes |
| Approach | Maintain Existing | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | Yes | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Caused Nicos & Chauses | Hangars for 40% of based aircraft | 40% of based 4 aircraft fleet: | No. of based aircraft hangar 8 spaces: | Yes |
| Covered Aircraft Storage | fleet and at least 25% available capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | No |
| | | 500 sq ft | No GA Terminal Building | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes, through mutual aid agreement | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | No |
| Jet A Fuel | Not an Objective | Yes | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |
| | | | | |



Figure A.71. Edgar County

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Edgar County | |
| Associated City | Paris | |
| FAA ID | PRG | |
| IASP Airport Role | Illinois Basic | |
| Primary Runway | 09/27 | |

| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | A-I/B-I | B-II | | Yes |
| Primary Runway Length | Maintain Existing | 4,501 ft | | Yes |
| Primary Runway Width | 60 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | No | | N/A |
| Taxiway | Partial Parallel | Connec | ctor | No |
| Runway Markings | Basic | Non-pre | cision | Yes |
| Approach | Maintain Existing | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | ; | Yes |
| VGSIs | Yes | Yes | ; | Yes |
| REILs | Yes | Yes | } | Yes |
| Runway Lighting | Yes | Yes | ; | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | Yes | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 9 aircraft fleet: | No. of based aircraft hangar 18 spaces: | Yes |
| Covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 500 sq ft | 7,700 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Not an Objective | Yes | 3 | N/A |
| | | No | | |
| Aircraft De-Icing | Not an Objective | No | | N/A |



Figure A.72. Pittsfield Penstone Municipal

| | Airport Information | |
|-------------------|-------------------------------|--|
| Airport Name | Pittsfield Penstone Municipal | |
| Associated City | Pittsfield | |
| FAA ID | PPQ | |
| IASP Airport Role | Illinois Basic | |
| Primary Runway | 13/31 | |

| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | A-I/B-I | C-I | | Yes |
| Primary Runway Length | Maintain Existing | 4,000 ft | | Yes |
| Primary Runway Width | 60 ft | 60 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | No | | N/A |
| Taxiway | Partial Parallel | Connec | ctor | No |
| Runway Markings | Basic | Non-pre | cision | Yes |
| Approach | Maintain Existing | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | Yes | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 4 aircraft fleet: | No. of based aircraft hangar 11 spaces: | Yes |
| covered American Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 500 sq ft | 1,575 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | No |
| Jet A Fuel | Not an Objective | Yes | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | No | | No |



Figure A.73. Rantoul National Aviation Center-Frank Elliot Field

| | Airport Information |
|-------------------|--|
| Airport Name | Rantoul National Aviation Center-Frank Elliott Field |
| Associated City | Rantoul |
| FAA ID | TIP |
| IASP Airport Role | Illinois Basic |
| Primary Runway | 09/27 |

| Timary Nanway | 05/27 | | | 1 |
|---|--|------------------------------------|---|---------------------|
| Airfield | Illinois Basic Objective | Existing Co | onditions | Meets Objective? |
| ARC | A-I/B-I | B-II | | Yes |
| Primary Runway Length | Maintain Existing | 5,001 | . ft | Yes |
| Primary Runway Width | 60 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | ed | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | No | | N/A |
| Taxiway | Partial Parallel | Conne | ctor | No |
| Runway Markings | Basic | Non-pre | cision | Yes |
| Approach | Maintain Existing | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | ; | Yes |
| VGSIs | Yes | Yes | ; | Yes |
| REILs | Yes | Yes | ; | Yes |
| Runway Lighting | Yes | Yes | ; | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | Yes | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 6 aircraft fleet: | No. of based aircraft hangar 25 spaces: | Yes |
| Covered Aircraft Storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Co | onditions | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 500 sq ft | 47,520 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Not an Objective | Yes | 5 | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |
| Jet A Fuel Aircraft De-Icing | Not an Objective Not an Objective | Yes No | ; | - 51 |



Figure A.74. Salem Leckrone

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Salem-Leckrone | |
| Associated City | Salem | |
| FAA ID | SLO | |
| IASP Airport Role | Illinois Basic | |
| Primary Runway | 18/36 | |

| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
|---|--|--|---|---------------------|
| ARC | A-I/B-I | C-II | | Yes |
| Primary Runway Length | Maintain Existing | 4,098 ft | | Yes |
| Primary Runway Width | 60 ft | 75 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | No | | N/A |
| Taxiway | Partial Parallel | Partial Pa | arallel | Yes |
| Runway Markings | Basic | Non-pred | cision | Yes |
| Approach | Maintain Existing | Non-pred | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | Yes | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 4 aircraft fleet: | No. of based aircraft hangar 28 spaces: | Yes |
| covered Aircraft Storage | capacity for transient aircraft | 100% available capacity for transient aircraft | | Yes |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 500 sq ft | 1,962 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | No | | No |



Figure A.75. Tri-Township

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Tri-Township | |
| Associated City | Savanna | |
| FAA ID | SFY | |
| IASP Airport Role | Illinois Basic | |
| Primary Runway | 13/31 | |

| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|--|---------------------|
| ARC | A-I/B-I | B-II | | Yes |
| Primary Runway Length | Maintain Existing | 4,001 ft | | Yes |
| Primary Runway Width | 60 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | Yes | | N/A |
| Taxiway | Partial Parallel | Connec | ctor | No |
| Runway Markings | Basic | Non-pre | cision | Yes |
| Approach | Maintain Existing | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | No | | No |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | Yes | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 4 aircraft fleet: | No. of based aircraft hangar 0 spaces: | No |
| covered / include storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | No |
| | | 500 sq ft | No GA Terminal Building | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | No |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | No | | No |



Figure A.76. Taylorville Municipal

| | Airport Information | |
|-------------------|-----------------------|--|
| Airport Name | Taylorville Municipal | |
| Associated City | Taylorville | |
| FAA ID | TAZ | |
| IASP Airport Role | Illinois Basic | |
| Primary Runway | 18/36 | |

| T Hillary Italiway | 20,00 | | | |
|---|--|------------------------------------|---|---------------------|
| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| ARC | A-I/B-I | B-II | | Yes |
| Primary Runway Length | Maintain Existing | 4,001 ft | | Yes |
| Primary Runway Width | 60 ft | 75 f | t | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | Yes | | N/A |
| Taxiway | Partial Parallel | Full Par | allel | No |
| Runway Markings | Basic | Non-pre | cision | Yes |
| Approach | Maintain Existing | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | : | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | Yes | | N/A |
| Taxiway Lighting | Yes | Yes | ; | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 9 aircraft fleet: | No. of based aircraft hangar 22 spaces: | Yes |
| covered Airclant Storage | capacity for transient aircraft | No transient hangar capacity | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 500 sq ft | 8,500 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Not an Objective | Yes | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.77. Vandalia Municipal

| | Airport Information | |
|-------------------|---------------------|--|
| Airport Name | Vandalia Municipal | |
| Associated City | Vandalia | |
| FAA ID | VLA | |
| IASP Airport Role | Illinois Basic | |
| Primary Runway | 18/36 | |

| Airfield | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
|---|--|------------------------------------|---|---------------------|
| ARC | A-I/B-I | B-II | | Yes |
| Primary Runway Length | Maintain Existing | 3,751 ft | | Yes |
| Primary Runway Width | 60 ft | 100 ft | | Yes |
| Primary Runway Surface | Paved | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | Yes | | N/A |
| Taxiway | Partial Parallel | Connec | ctor | No |
| Runway Markings | Basic | Non-pre | cision | Yes |
| Approach | Maintain Existing | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Yes | Yes | | Yes |
| VGSIs | Yes | Yes | | Yes |
| REILs | Yes | Yes | | Yes |
| Runway Lighting | Yes | Yes | | Yes |
| Weather Reporting (ASOS/AWOS) | Not an Objective | Yes | | N/A |
| Taxiway Lighting | Yes | Yes | | Yes |
| Covered Aircraft Storage | Hangars for 40% of based aircraft fleet and at least 25% available | 40% of based 7 aircraft fleet: | No. of based aircraft hangar 28 spaces: | Yes |
| obtored / in order storage | capacity for transient aircraft | 0 transient hangars | | No |
| Landside Facilities | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | 500 sq ft | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 500 sq ft | 6,460 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | No |
| Airport Services | Illinois Basic Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | Yes |
| Jet A Fuel | Not an Objective | Yes | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | Yes |



Figure A.78. Galt Field

| | Airport Information | |
|-------------------|-----------------------|--|
| Airport Name | Galt Field | |
| Associated City | Greenwood/Wonder Lake | |
| FAA ID | 10C | |
| IASP Airport Role | Illinois Unclassified | |
| Primary Runway | 09/27 | |

| Airfield | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
|---|---|------------------------------------|---|---------------------|
| ARC | A/B-I Small Aircraft | A-I | | Yes |
| Primary Runway Length | Maintain Existing | 2,898 ft | | Yes |
| Primary Runway Width | 60 ft | 50 f | t | No |
| Primary Runway Surface | Maintain Existing | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | No | | N/A |
| Taxiway | Maintain Existing | Partial Pa | arallel | Yes |
| Runway Markings | Maintain Existing | Non-pre | cision | Yes |
| Approach | Maintain Existing | Visua | al | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Not an Objective | Yes | | N/A |
| VGSIs | Not an Objective | No | | N/A |
| REILs | Not an Objective | No | | N/A |
| Runway Lighting | Not an Objective | No | | N/A |
| Weather Reporting (ASOS/AWOS) | Not an Objective | No | | N/A |
| Taxiway Lighting | Not an Objective | No | | N/A |
| Covered Aircraft Storage | Maintain Existing | Based aircraft 38 fleet: | No. of based aircraft hangar 99 spaces: | Yes |
| G- | | 0 transient hangars | | Yes |
| Landside Facilities | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Maintain Existing | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 5,000 sq ft | 864 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | N/A |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | N/A |



Figure A.79. Dacy

| | Airport Information | |
|-------------------|-----------------------|--|
| Airport Name | Dacy | |
| Associated City | Harvard | |
| FAA ID | 0C0 | |
| IASP Airport Role | Illinois Unclassified | |
| Primary Runway | 09/27 | |

| Airfield | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
|---|---|---|---|---------------------|
| ARC | A/B-I Small Aircraft | A-I | | Yes |
| Primary Runway Length | Maintain Existing | 3,589 ft | | Yes |
| Primary Runway Width | 60 ft | 105 | ft | Yes |
| Primary Runway Surface | Maintain Existing | Tur | f | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | N/A | 4 | N/A |
| Taxiway | Maintain Existing | Conne | ctor | Yes |
| Runway Markings | Maintain Existing | Non | e | Yes |
| Approach | Maintain Existing | Visu | al | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Not an Objective | No | | N/A |
| VGSIs | Not an Objective | No | | N/A |
| REILs | Not an Objective | No | | N/A |
| Runway Lighting | Not an Objective | No | | N/A |
| Weather Reporting (ASOS/AWOS) | Not an Objective | No | | N/A |
| Taxiway Lighting | Not an Objective | No | | N/A |
| Covered Aircraft Storage | Maintain Existing | Based aircraft 42 fleet: | No. of based aircraft hangar 45 spaces: | Yes |
| | | 50% available capacity for transient aircraft | | Yes |
| Landside Facilities | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Maintain Existing | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 2,500 sq ft | Unknown | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | No | | N/A |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | N/A |



Figure A.80. Paxton

| Airport Information | | | |
|---------------------|-----------------------|--|--|
| Airport Name | Paxton | | |
| Associated City | Paxton | | |
| FAA ID | 1C1 | | |
| IASP Airport Role | Illinois Unclassified | | |
| Primary Runway | 18/36 | | |

| Airfield | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
|---|---|------------------------------------|--|---------------------------------|
| ARC | A/B-I Small Aircraft | A-I | | Yes |
| Primary Runway Length | Maintain Existing | 3,409 ft | | Yes |
| Primary Runway Width | 60 ft | 50 f | t | No |
| Primary Runway Surface | Maintain Existing | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | No | | N/A |
| Taxiway | Maintain Existing | N/a | ı | Yes |
| Runway Markings | Maintain Existing | Non-pre | cision | Yes |
| Approach | Maintain Existing | Non-pre | cision | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Not an Objective | No | | N/A |
| VGSIs | Not an Objective | Yes | | N/A |
| REILs | Not an Objective | Yes | | N/A |
| Runway Lighting | Not an Objective | No | | N/A |
| Weather Reporting (ASOS/AWOS) | Not an Objective | No | | N/A |
| Taxiway Lighting | Not an Objective | No | | N/A |
| Covered Aircraft Storage | Maintain Existing | Based aircraft 6 fleet: | No. of based aircraft hangar 7 spaces: | Yes |
| 557675477110141154564 | | 0 transient hangars | | Yes |
| Landside Facilities | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Maintain Existing | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 750 sq ft | No GA Terminal Building | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | No | | No |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | N/A |
| Jet A Fuel | Not an Objective | Yes | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | N/A |



Figure A.81. Poplar Grove

| Airport Information | | | |
|---------------------|-----------------------|--|--|
| Airport Name | Poplar Grove | | |
| Associated City | Poplar Grove | | |
| FAA ID | C77 | | |
| IASP Airport Role | Illinois Unclassified | | |
| Primary Runway | 12/30 | | |

| 1 minut y maintray | 12,00 | | | |
|---|---|------------------------------------|--|---------------------|
| Airfield | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-I Small Aircraft | A/B-I | | Yes |
| Primary Runway Length | Maintain Existing | 3,773 ft | | Yes |
| Primary Runway Width | 60 ft | 50 f | t | No |
| Primary Runway Surface | Maintain Existing | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | Yes | i | N/A |
| Taxiway | Maintain Existing | Full Par | allel | Yes |
| Runway Markings | Maintain Existing | Basi | С | Yes |
| Approach | Maintain Existing | Visua | al | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Not an Objective | Yes | i | N/A |
| VGSIs | Not an Objective | No | | N/A |
| REILs | Not an Objective | No | | N/A |
| Runway Lighting | Not an Objective | No | | N/A |
| Weather Reporting (ASOS/AWOS) | Not an Objective | No | | N/A |
| Taxiway Lighting | Not an Objective | No | | N/A |
| Covered Aircraft Storage | Maintain Existing | Based aircraft 303 fleet: | No. of based aircraft hangar 226 spaces: | No |
| covered Aircraft Storage | Widilitani Existing | 0 transient hangars | | Yes |
| Landside Facilities | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Maintain Existing | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 8,563 sq ft | 1,925 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | Yes | | Yes |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | Yes | | Yes |
| Airport Services | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | N/A |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | N/A |
| | | | | |



Figure A.82. Schuy-Rush

| Airport Information | | | |
|---------------------|-----------------------|--|--|
| Airport Name | Schuy-Rush | | |
| Associated City | Rushville | | |
| FAA ID | 5K4 | | |
| IASP Airport Role | Illinois Unclassified | | |
| Primary Runway | 09/27 | | |

| Airfield | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
|---|---|------------------------------------|--|---------------------------------|
| ARC | A/B-I Small Aircraft | A-I | | Yes |
| Primary Runway Length | Maintain Existing | 3,565 ft | | Yes |
| Primary Runway Width | 60 ft | 100 | ft | Yes |
| Primary Runway Surface | Maintain Existing | Tur | f | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | N/A | 1 | N/A |
| Taxiway | Maintain Existing | N/a | | Yes |
| Runway Markings | Maintain Existing | Non | е | Yes |
| Approach | Maintain Existing | Visu | al | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Not an Objective | No | | N/A |
| VGSIs | Not an Objective | No | | N/A |
| REILs | Not an Objective | No | | N/A |
| Runway Lighting | Not an Objective | No | | N/A |
| Weather Reporting (ASOS/AWOS) | Not an Objective | No | | N/A |
| Taxiway Lighting | Not an Objective | No | | N/A |
| Covered Aircraft Storage | Maintain Existing | Based aircraft 4 fleet: | No. of based aircraft hangar 2 spaces: | No |
| J | C | 0 transient | hangars | Yes |
| Landside Facilities | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Maintain Existing | Minimum GA terminal square footage | GA terminal square footage | Yes |
| | | 125 sq ft | 3,200 sq ft | |
| Snow Removal Equipment | Yes, or through mutual aid agreement | No | | No |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | N/A |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | Yes | | N/A |



Figure A.83. Tuscola

| Airport Information | | | |
|---------------------|-----------------------|--|--|
| Airport Name | Tuscola | | |
| Associated City | Tuscola | | |
| FAA ID | K96 | | |
| IASP Airport Role | Illinois Unclassified | | |
| Primary Runway | 09/27 | | |

| 1 milary itaniway | 05/21 | | | |
|---|---|--|---|---------------------------------|
| Airfield | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| ARC | A/B-I Small Aircraft | A-I | | Yes |
| Primary Runway Length | Maintain Existing | 2,660 ft | | Yes |
| Primary Runway Width | 60 ft | 30 f | t | No |
| Primary Runway Surface | Maintain Existing | Pave | d | Yes |
| Skid Treatment (Groove/PFC) | Not an Objective | No | | N/A |
| Taxiway | Maintain Existing | Turnaro | und | Yes |
| Runway Markings | Maintain Existing | None | е | Yes |
| Approach | Maintain Existing | Visua | al | Yes |
| ALS | Not an Objective | No | | N/A |
| Rotating Beacon | Not an Objective | No | | N/A |
| VGSIs | Not an Objective | No | | N/A |
| REILs | Not an Objective | No | | N/A |
| Runway Lighting | Not an Objective | Yes | | N/A |
| Weather Reporting (ASOS/AWOS) | Not an Objective | No | | N/A |
| Taxiway Lighting | Not an Objective | No | | N/A |
| Covered Aircraft Storage | Maintain Existing | Based aircraft fleet: | No. of based aircraft hangar 10 spaces: | Yes |
| Covered All Craft Storage | iviairitairi Existirig | 0 transient hangars | | Yes |
| Landside Facilities | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| Terminal (GA) | Maintain Existing | Minimum GA terminal square footage 775 sq ft | GA terminal square footage No GA Terminal Building | Yes |
| Snow Removal Equipment | Yes, or through mutual aid agreement | No | | No |
| Dedicated Maintenance/SRE Storage Building | Yes - if SRE available No - if SRE unavailable | No | | Aiport-owned SRE unavailable |
| Airport Services | Illinois Unclassified Objective | Existing Conditions | | Meets Objective? |
| 24-Hour Fuel (AvGas or JetA) | Yes | Yes | | N/A |
| Jet A Fuel | Not an Objective | No | | N/A |
| Aircraft De-Icing | Not an Objective | No | | N/A |
| Pilot Area/Flight Planning Area | Yes | No | | N/A |
| | | 110 | | |